

Product Description

Pioneering GTPase and Oncogene Product Development since 2010

ACAT2 RABBIT PAB

货号: S218265

产品全名: ACAT2 兔多抗

基因符号

UNIPROT ID: Q9BWD1 (Gene Accession - BC000408)

背景: The product of this gene is an enzyme involved in lipid metabolism, and it encodes cytosolic acetoacetyl-CoA thiolase. This gene shows complementary overlapping with the 3-prime region of the TCPI gene in both mouse and human. These genes are encoded on opposite strands of DNA, as well as in opposite transcriptional orientation. Alternatively spliced transcript variants encoding different isoforms have been found for this gene.

抗原: Fusion protein of human ACAT2

经过测试的应用: ELISA, WB, IHC

推荐稀释比: IHC: 50-200;WB: 1000-5000;ELISA: 5000-10000

种属反应性: Rabbit

克隆性: Rabbit Polyclonal

亚型: Immunogen-specific rabbit IgG 纯化: Antigen affinity purification 种属反应性: Human, Mouse, Rat

成分: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol


研究领域: Metabolism, Cardiovascular

储存和运输: Store at -20°C. Avoid repeated freezing and thawing




Product Description


Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin embedded Human liver cancer tissue using 218265(ACAT2 Antibody) at a dilution of 1/60(Cytoplasm).




In comparision with the IHC on the left, the same paraffin-embedded Human liver cancer tissue is first treated with the fusion protein and then with 218265(Anti-ACAT2 Antibody) at dilution 1/60.



The image on the left is immunohistochemistry of paraffinembedded Human ovarian cancer tissue using 218265(Anti-ACAT2 Antibody) at a dilution of 1/60.



In comparision with the IHC on the left, the same paraffin-embedded Human ovarian cancer tissue is first treated with fusion protein and then with D224057(Anti-ACAT2 Antibody) at dilution 1/60.



kDa

Gel: 8%SDS-PAGE, Lysate: 40 µg; Lane: 293T cell lysate; Primary antibody: 218265(ACAT2 Antibody) at dilution 1/2000; Secondary antibody: Goat anti rabbit lgG at 1/5000 dilution; Exposure time: 10 seconds



Product Description

Pioneering GTPase and Oncogene Product Development since 2010