

ACSBG2 RABBIT PAB

货号: S216227

产品全名: ACSBG2 兔多抗

基因符号 BGR, BRGL, PRDNY3, PRD-NY3

UNIPROT ID: Q5FVE4 (Gene Accession - BC022027)

背景: Long-chain-fatty-acid-CoA ligase ACSBG2 is an enzyme that in humans is encoded by the ACSBG2 gene. Mediates activation of long-chain fatty acids for both synthesis of cellular lipids, and degradation via beta-oxidation. Able to activate long-chain fatty acids. Also able to activate very long-chain fatty acids, however, the relevance of such activity is unclear in vivo. Has increased ability to activate oleic and linoleic acid. May play a role in spermatogenesis.

抗原: Fusion protein of human ACSBG2

经过测试的应用: ELISA, IHC

推荐稀释比: IHC: 50-100; ELISA: 500-5000

种属反应性: Rabbit

克隆性: Rabbit Polyclonal

亚型: Immunogen-specific rabbit IgG


纯化: Antigen affinity purification

种属反应性: Human


成分: PBS (without Mg²⁺ and Ca²⁺), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol

研究领域: Metabolism


储存和运输: Store at -20°C. Avoid repeated freezing and thawing




Immunohistochemistry analysis of paraffin embedded Human stomach cancer tissue using 216227(ACSBG2 Antibody) at a dilution of 1/60(Cytoplasm, Cell membrane).



In comparison with the IHC on the left, the same paraffin-embedded Human stomach cancer tissue is first treated with the fusion protein and then with 216227(Anti-ACSBG2 Antibody) at dilution 1/60.



The image on the left is immunohistochemistry of paraffin-embedded Human lung cancer tissue using 216227(Anti-ACSBG2 Antibody) at a dilution of 1/60.



In comparison with the IHC on the left, the same paraffin-embedded Human lung cancer tissue is first treated with fusion protein and then with D220031(Anti-ACSBG2 Antibody) at dilution 1/60.



Product Description

Pioneering GTPase and Oncogene Product Development since 2010
