

Product Description

Pioneering GTPase and Oncogene Product Development since 2010

ADAM10 RABBIT PAB

货号: S216934

产品全名: ADAMIO 兔多抗

基因符号 RAK; kuz; AD10; AD18; MADM; CD156c; CDw156; HsT18717

UNIPROT ID: 014672 (Gene Accession - BC126253)

背景: Members of the ADAM family are cell surface proteins with a unique structure possessing both potential adhesion and protease domains. This gene encodes and ADAM family member that cleaves many proteins including TNF-alpha and E-cadherin. Alternate splicing results in multiple transcript variants encoding different proteins that may undergo similar processing.

抗原: Fusion protein of human ADAM10

经过测试的应用: ELISA, WB, IHC

推荐稀释比: IHC: 25-100;WB: 500-2000;ELISA: 1000-2000

种属反应性: Rabbit

克隆性: Rabbit Polyclonal

亚型: Immunogen-specific rabbit IgG 纯化: Antigen affinity purification 种属反应性: Human, Mouse, Rat

成分: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol


研究领域: Signal Transduction, Cancer, Cell Biology

储存和运输: Store at -20°C. Avoid repeated freezing and thawing




Product Description


Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin embedded Human thyroid cancer tissue using 216934(ADAM10 Antibody) at a dilution of 1/30(Cytoplasm).




In comparision with the IHC on the left, the same paraffin-embedded Human thyroid cancer tissue is first treated with the fusion protein and then with 216934(Anti-ADAM10 Antibody) at dilution 1/30.



The image on the left is immunohistochemistry of paraffinembedded Human breast cancer tissue using 216934(Anti-ADAM10 Antibody) at a dilution of 1/30.



In comparision with the IHC on the left, the same paraffin-embedded Human breast cancer tissue is first treated with fusion protein and then with D221496(Anti-ADAM10 Antibody) at dilution 1/30.



Gel: 6%SDS-PAGE, Lysate: 40 µg; Lane: RAW264.7 cell lysate; Primary antibody: 216934(ADAM10 Antibody) at dilution 1/650; Secondary antibody: HRP-conjugated Goat anti rabbit IgG at 1/5000 dilution;

Exposure time: 6 minutes



Product Description

Pioneering GTPase and Oncogene Product Development since 2010