

Product Description

Pioneering GTPase and Oncogene Product Development since 2010

AMPH RABBIT PAB

货号: S216324

产品全名: AMPH 兔多抗 基因符号 AMPH1

UNIPROT ID: P49418 (Gene Accession - BC034376)

背景: This gene encodes a protein associated with the cytoplasmic surface of synaptic vesicles. A subset of patients with stiff-man syndrome who were also affected by breast cancer are positive for autoantibodies against this protein. Alternate splicing of this gene results in two transcript variants encoding different isoforms. Additional splice variants have been described, but their full length sequences have not been determined. A pseudogene of this gene is found on chromosome 11.

抗原: Fusion protein of human AMPH

经过测试的应用: ELISA, WB, IHC

推荐稀释比: IHC: 50-200;WB: 500-2000;ELISA: 1000-5000

种属反应性: Rabbit

克隆性: Rabbit Polyclonal

亚型: Immunogen-specific rabbit IgG 纯化: Antigen affinity purification 种属反应性: Human, Mouse

成分: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol


研究领域: Neuroscience, Immunology

储存和运输: Store at -20°C. Avoid repeated freezing and thawing




Product Description


Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin embedded Human ovarian cancer tissue using 216324(AMPH Antibody) at a dilution of 1/30(Cytoplasm).




In comparision with the IHC on the left, the same paraffin-embedded Human ovarian cancer tissue is first treated with the fusion protein and then with 216324(Anti-AMPH Antibody) at dilution 1/30.



The image on the left is immunohistochemistry of paraffinembedded Human lung cancer tissue using 216324(Anti-AMPH Antibody) at a dilution of 1/30.



In comparision with the IHC on the left, the same paraffin-embedded Human lung cancer tissue is first treated with fusion protein and then with D220206(Anti-AMPH Antibody) at dilution 1/30.



Gel: 10%SDS-PAGE, Lysate: 60 µg; Lane: Mouse lung tissue; Primary antibody: 216324(AMPH Antibody) at dilution 1/500; Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution; Exposure time: 1 minute



Product Description

Pioneering GTPase and Oncogene Product Development since 2010