

Product Description

Pioneering GTPase and Oncogene Product Development since 2010

ANXA6 RABBIT PAB

货号: S216332

产品全名: ANXA6 兔多抗 基因符号 ANX6, CBP68

UNIPROT ID: P08133 (Gene Accession - BC017046)

背景: Annexin VI belongs to a family of calcium-dependent membrane and phospholipid binding proteins. Several members of the annexin family have been implicated in membrane-related events along exocytotic and endocytotic pathways. The annexin VI gene is approximately 60 kbp long and contains 26 exons. It encodes a protein of about 68 kDa that consists of eight 68-amino acid repeats separated by linking sequences of variable lengths. It is highly similar to human annexins I and II sequences, each of which contain four such repeats. Annexin VI has been implicated in mediating the endosome aggregation and vesicle fusion in secreting epithelia during exocytosis. Alternatively spliced transcript variants have been described.

抗原: Fusion protein of human ANXA6

经过测试的应用: ELISA, WB, IHC

推荐稀释比: IHC: 25-100;WB: 200-500;ELISA: 1000-2000

种属反应性: Rabbit

克隆性: Rabbit Polyclonal

亚型: Immunogen-specific rabbit IgG 纯化: Antigen affinity purification 种属反应性: Human, Mouse, Rat

成分: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol


研究领域: Signal Transduction

储存和运输: Store at -20°C. Avoid repeated freezing and thawing




Product Description

Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin embedded Human esophagus cancer tissue using 216332(ANXA6 Antibody) at a dilution of 1/17(Cytoplasm, Cell membrane).


In comparision with the IHC on the left, the same paraffin-embedded Human esophagus cancer tissue is first treated with the fusion protein and then with 216332(Anti-ANXA6 Antibody) at dilution 1/17.



In comparision with the IHC on the left, the same paraffin-embedded



The image on the left is immunohistochemistry of paraffinembedded Human gastric cancer tissue using 216332(Anti-ANXA6 Antibody) at a dilution of 1/17.



In comparision with the IHC on the left, the same paraffin-embedded Human gastric cancer tissue is first treated with fusion protein and then with D220221(Anti-ANXA6 Antibody) at dilution 1/17.



Gel: 10%SDS-PAGE, Lysate: 30 µg; Lane: Mouse kidney tissue; Primary antibody: 216332(ANXA6 Antibody) at dilution 1/350; Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution; Exposure time: 10 seconds



Product Description

Pioneering GTPase and Oncogene Product Development since 2010