

Product Description

Pioneering GTPase and Oncogene Product Development since 2010

APEX1 RABBIT PAB

货号: S216325 产品全名: APEXI 兔多抗 基因符号 APE; APX; APEI; APEN; APEX; HAPI; REFI UNIPROT ID: P27695 (Gene Accession - BC004979) 背景: Apurinic/apyrimidinic (AP) sites occur frequen glycosylases that remove specific abnormal bases. contains systems to identify and repair such sites. C

背景: Apurinic/apyrimidinic (AP) sites occur frequently in DNA molecules by spontaneous hydrolysis, by DNA damaging agents or by DNA glycosylases that remove specific abnormal bases. AP sites are pre-mutagenic lesions that can prevent normal DNA replication so the cell contains systems to identify and repair such sites. Class II AP endonucleases cleave the phosphodiester backbone 5' to the AP site. This gene encodes the major AP endonuclease in human cells. Splice variants have been found for this gene; all encode the same protein. 抗原: Fusion protein of human APEX1

· 经过测试的应用: ELISA, WB, IHC

推荐稀释比: IHC: 15-50;WB: 500-2000;ELISA: 2000-5000

种属反应性: Rabbit

克隆性: Rabbit Polyclonal

亚型: Immunogen-specific rabbit IgG

纯化: Antigen affinity purification

种属反应性: Human, Mouse, Rat

成分: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol


研究领域: Epigenetics and Nuclear Signaling, Cardiovascular

储存和运输: Store at -20°C. Avoid repeated freezing and thawing




Product Description


Pioneering GTPase and Oncogene Product Development since 2010



Immunohistochemistry analysis of paraffin embedded Human colon cancer tissue using 216325(APEX1 Antibody) at a dilution of 1/20(Nucleus). In comparision with the IHC on the left, the same paraffin-embedded Human colon cancer tissue is first treated with the fusion protein and then with 216325(Anti-APEX1 Antibody) at dilution 1/20.



The image on the left is immunohistochemistry of paraffinembedded Human lung cancer tissue using 216325(Anti-APEX1 Antibody) at a dilution of 1/20.



Gel: 12%SDS-PAGE, Lysate: 40 µg; Lane 1-6: Hela cells, human liver cancer tissue, Raji cells, Jurkat cells, 293T cells, PC3 cells; Primary antibody: 216325(APEX1 Antibody) at dilution 1/450; Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution; Exposure time: 1 minute

In comparision with the IHC on the left, the same paraffin-embedded Human lung cancer tissue is first treated with fusion protein and then with D220212(Anti-APEX1 Antibody) at dilution 1/20.



Product Description

Pioneering GTPase and Oncogene Product Development since 2010