

Product Description

Pioneering GTPase and Oncogene Product Development since 2010

ARHGEF9 RABBIT PAB

货号: S217041

产品全名: ARHGEF9 兔多抗

基因符号 PEM2; EIEE8; PEM-2; HPEM-2; COLLYBISTIN UNIPROT ID: O43307 (Gene Accession - BC117406)

背景: The protein encoded by this gene is a Rho-like GTPase that switches between the active (GTP-bound) state and inactive (GDP-bound) state to regulate CDC42 and other genes. Defects in this gene are a cause of startle disease with epilepsy (STHEE), also known as hyperekplexia with epilepsy. Three transcript variants encoding different isoforms have been found for this gene.

抗原: Fusion protein of human ARHGEF9

经过测试的应用: ELISA, WB, IHC

推荐稀释比: IHC: 50-200;WB: 1000-5000;ELISA: 2000-10000

种属反应性: Rabbit

克隆性: Rabbit Polyclonal

亚型: Immunogen-specific rabbit IgG 纯化: Antigen affinity purification 种属反应性: Human, Mouse, Rat

成分: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol


研究领域: Signal Transduction

储存和运输: Store at -20°C. Avoid repeated freezing and thawing




Product Description


Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin embedded Human thyroid cancer tissue using 217041(ARHGEF9 Antibody) at a dilution of 1/50(Cytoplasm).

In comparision with the IHC on the left, the same paraffin-embedded Human thyroid cancer tissue is first treated with the fusion protein and then with 217041(Anti-ARHGEF9 Antibody) at dilution 1/50.






The image on the left is immunohistochemistry of paraffinembedded Human colon cancer tissue using 217041(Anti-ARHGEF9 Antibody) at a dilution of 1/50.



In comparision with the IHC on the left, the same paraffin-embedded Human colon cancer tissue is first treated with fusion protein and then with D221693(Anti-ARHGEF9 Antibody) at dilution 1/50.



Gel: 8%SDS-PAGE, Lysate: 40 µg; Lane 1-2: Mouse heart tissue, human fetal brain tissue; Primary antibody: 217041(ARHGEF9 Antibody) at dilution 1/950; Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution; Exposure time: 5 seconds



Product Description

Pioneering GTPase and Oncogene Product Development since 2010