

## **Product Description**

Pioneering GTPase and Oncogene Product Development since 2010

## **ARIH2 RABBIT PAB**

货号: S219147

产品全名: ARIH2 兔多抗 基因符号 ARI2; TRIADI

UNIPROT ID: 095376 (Gene Accession - BC000422)

背景: The protein encoded by this gene is an E3 ubiquitin-protein ligase that polyubiquitinates some proteins, tagging them for degradation. The encoded protein upregulates p53 in some cancer cells and may inhibit myelopoiesis. Several transcript variants encoding different isoforms have been found for this gene, although the full-length nature of some of them have not been determined yet.

抗原: Fusion protein of human ARIH2

经过测试的应用: ELISA, WB, IHC

推荐稀释比: IHC: 50-300;WB: 1000-5000;ELISA: 5000-10000

种属反应性: Rabbit

克隆性: Rabbit Polyclonal

亚型: Immunogen-specific rabbit IgG 纯化: Antigen affinity purification 种属反应性: Human, Mouse

成分: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol


研究领域: Epigenetics and Nuclear Signaling, Cell Biology

储存和运输: Store at -20°C. Avoid repeated freezing and thawing




## **Product Description**


Pioneering GTPase and Oncogene Product Development since 2010




tissue using 219147(ARIH2 Antibody) at a dilution of 1/80(Cytoplasm or Nucleus).




Immunohistochemistry analysis of paraffin embedded Human tonsil In comparision with the IHC on the left, the same paraffin-embedded Human tonsil tissue is first treated with the fusion protein and then with 219147(Anti-ARIH2 Antibody) at dilution 1/80.



The image on the left is immunohistochemistry of paraffinembedded Human esophagus cancer tissue using 219147(Anti-ARIH2 Human esophagus cancer tissue is first treated with fusion protein Antibody) at a dilution of 1/80.



In comparision with the IHC on the left, the same paraffin-embedded and then with D225916(Anti-ARIH2 Antibody) at dilution 1/80.



Gel: 8%SDS-PAGE, Lysate: 40 µg; Lane: Human heart tissue lysate; Primary antibody: 219147(ARIH2 Antibody) at dilution 1/1000; Secondary antibody: HRP-conjugated Goat anti rabbit IgG at 1/5000 dilution;

Exposure time: 3 minutes



## **Product Description**

Pioneering GTPase and Oncogene Product Development since 2010