

## **Product Description**

Pioneering GTPase and Oncogene Product Development since 2010

## **ATG3 RABBIT PAB**

货号: S217017

产品全名: ATG3 兔多抗

基因符号 APG3; APG3L; hApg3; PC3-96; APG3-LIKE UNIPROT ID: Q9NT62 (Gene Accession - BC024221)

背景: This gene encodes a ubiquitin-like-conjugating enzyme and is a component of ubiquitination-like systems involved in autophagy, the process of degradation, turnover and recycling of cytoplasmic constituents in eukaryotic cells. This protein is known to play a role in regulation of autophagy during cell death. A pseudogene of this gene is located on chromosome 20. Alternative splicing results in multiple transcript variants encoding different isoforms.

抗原: Fusion protein of human ATG3 经过测试的应用: ELISA, WB, IHC

推荐稀释比: IHC: 50-200;WB: 1000-5000;ELISA: 5000-10000

种属反应性: Rabbit

克隆性: Rabbit Polyclonal

亚型: Immunogen-specific rabbit IgG 纯化: Antigen affinity purification 种属反应性: Human, Mouse, Rat


成分: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol

研究领域: Cancer, Cell Biology, Neuroscience, Cardiovascular 储存和运输: Store at -20°C. Avoid repeated freezing and thawing




## **Product Description**


Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin embedded Human gastric cancer tissue using 217017(ATG3 Antibody) at a dilution of 1/80(Cytoplasm).




In comparision with the IHC on the left, the same paraffin-embedded Human gastric cancer tissue is first treated with the fusion protein and then with 217017(Anti-ATG3 Antibody) at dilution 1/80.



The image on the left is immunohistochemistry of paraffinembedded Human liver cancer tissue using 217017(Anti-ATG3 Antibody) at a dilution of 1/80.



In comparision with the IHC on the left, the same paraffin-embedded Human liver cancer tissue is first treated with fusion protein and then with D221649(Anti-ATG3 Antibody) at dilution 1/80.



Gel: 8%SDS-PAGE, Lysate: 40 µg; Lane: Mouse brain tissue lysate; Primary antibody: 217017(ATG3 Antibody) at dilution 1/1350; Secondary antibody: HRP-conjugated Goat anti rabbit IgG at 1/5000 dilution;

Exposure time: 20 seconds



## **Product Description**

Pioneering GTPase and Oncogene Product Development since 2010