

## **Product Description**

Pioneering GTPase and Oncogene Product Development since 2010

## **BAAT RABBIT PAB**

传号: S217199 产品全名: BAAT 兔多抗 基因符号 BAT; BACAT UNIPROT ID: Q14032 (Gene Accession - BC009567) 背景: The protein encoded by this gene is a liver enzyme that catalyzes the transfer of C24 bile acids from the acyl-CoA thioester to either glycine or taurine, the second step in the formation of bile acid-amino acid conjugates. The bile acid conjugates then act as a detergent in the gastrointestinal tract, which enhances lipid and fat-soluble vitamin absorption. Defects in this gene are a cause of familial hypercholanemia (FHCA). Two transcript variants encoding the same protein have been found for this gene. 抗原: Fusion protein of human BAAT 经过测试的应用: ELISA, WB, IHC

推荐稀释比:IHC: 25-100;WB: 500-2000;ELISA: 2000-5000

种属反应性: Rabbit

克隆性: Rabbit Polyclonal

亚型: Immunogen-specific rabbit IgG

纯化: Antigen affinity purification

种属反应性: Human

成分: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol


研究领域: Metabolism, Cancer

储存和运输: Store at -20°C. Avoid repeated freezing and thawing




## **Product Description**

Pioneering GTPase and Oncogene Product Development since 2010



Immunohistochemistry analysis of paraffin embedded Human liver cancer tissue using 217199(BAAT Antibody) at a dilution of 1/30(Cytoplasm).




The image on the left is immunohistochemistry of paraffinembedded Human colon cancer tissue using 217199(Anti-BAAT Antibody) at a dilution of 1/30.


95-

72-

55-



In comparision with the IHC on the left, the same paraffin-embedded Human liver cancer tissue is first treated with the fusion protein and then with 217199(Anti-BAAT Antibody) at dilution 1/30.



In comparision with the IHC on the left, the same paraffin-embedded Human colon cancer tissue is first treated with fusion protein and then with D221970(Anti-BAAT Antibody) at dilution 1/30.

**%–** Gel: 8%SDS-PAGE, Lysate: 40 μg; Lane: Human normal liver tissue; Primary antibody: 217199(BAAT Antibody) at dilution 1/600; Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution; Exposure time: 10 seconds



## **Product Description**

Pioneering GTPase and Oncogene Product Development since 2010