

Product Description

Pioneering GTPase and Oncogene Product Development since 2010

BIRC2 RABBIT PAB

货号: S216816

产品全名: BIRC2 兔多抗

基因符号 API1, MIHB, HIAP2, RNF48, cIAP1, Hiap-2, c-IAP1 UNIPROT ID: Q13490 (Gene Accession - BC016174)

背景: The protein encoded by this gene is a member of a family of proteins that inhibits apoptosis by binding to tumor necrosis factor receptor-associated factors TRAF1 and TRAF2, probably by interfering with activation of ICE-like proteases. This encoded protein inhibits apoptosis induced by serum deprivation and menadione, a potent inducer of free radicals. Alternatively spliced transcript variants encoding different isoforms have been found for this gene.

抗原: Fusion protein of human BIRC2

经过测试的应用: ELISA, WB, IHC

推荐稀释比: IHC: 25-100;WB: 500-2000;ELISA: 1000-5000

种属反应性: Rabbit

克隆性: Rabbit Polyclonal

亚型: Immunogen-specific rabbit IgG 纯化: Antigen affinity purification 种属反应性: Human, Mouse

成分: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol


研究领域: Cancer, Cardiovascular, Metabolism

储存和运输: Store at -20°C. Avoid repeated freezing and thawing




Product Description


Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin embedded Human liver cancer tissue using 216816(BIRC2 Antibody) at a dilution of 1/20(Cytoplasm).



In comparision with the IHC on the left, the same paraffin-embedded Human liver cancer tissue is first treated with the fusion protein and then with 216816(Anti-BIRC2 Antibody) at dilution 1/20.



The image on the left is immunohistochemistry of paraffinembedded Human lung cancer tissue using 216816(Anti-BIRC2 Antibody) at a dilution of 1/20.



In comparision with the IHC on the left, the same paraffin-embedded Human lung cancer tissue is first treated with fusion protein and then with D221290(Anti-BIRC2 Antibody) at dilution 1/20.

kDa 250— 130— 95— 72— 55—

Gel: 8%SDS-PAGE, Lysate: 40 μg; Lane: SKOV3 cells;

Primary antibody: 216816(BIRC2 Antibody) at dilution 1/300; Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution;

Exposure time: 30 seconds



Product Description

Pioneering GTPase and Oncogene Product Development since 2010