

Product Description

Pioneering GTPase and Oncogene Product Development since 2010

CAMK4 RABBIT PAB

货号: S217234

产品全名: CAMK4 兔多抗

基因符号 IV; caMK; CaMK IV; CaMK-GR

UNIPROT ID: Q16566 (Gene Accession - BC016695)

背景: The product of this gene belongs to the serine/threonine protein kinase family, and to the Ca(2+)/calmodulin-dependent protein kinase subfamily. This enzyme is a multifunctional serine/threonine protein kinase with limited tissue distribution, that has been implicated in transcriptional regulation in lymphocytes, neurons and male germ cells.

抗原: Fusion protein of human CAMK4

经过测试的应用: ELISA, WB, IHC

推荐稀释比: IHC: 25-100;WB: 200-1000;ELISA: 1000-2000

种属反应性: Rabbit

克隆性: Rabbit Polyclonal

亚型: Immunogen-specific rabbit IgG 纯化: Antigen affinity purification 种属反应性: Human, Mouse, Rat

成分: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol


研究领域: Signal Transduction, Epigenetics and Nuclear Signaling, Neuroscience

储存和运输: Store at -20°C. Avoid repeated freezing and thawing




Product Description


Pioneering GTPase and Oncogene Product Development since 2010




tissue using 217234(CAMK4 Antibody) at a dilution of 1/20(Cytoplasm).




Immunohistochemistry analysis of paraffin embedded Human tonsil In comparision with the IHC on the left, the same paraffin-embedded Human tonsil tissue is first treated with the fusion protein and then with 217234(Anti-CAMK4 Antibody) at dilution 1/20.



The image on the left is immunohistochemistry of paraffinembedded Human thyroid cancer tissue using 217234(Anti-CAMK4 Antibody) at a dilution of 1/20.



In comparision with the IHC on the left, the same paraffin-embedded Human thyroid cancer tissue is first treated with fusion protein and then with D222021(Anti-CAMK4 Antibody) at dilution 1/20.



Gel: 6%SDS-PAGE, Lysate: 40 µg; Lane: Mouse brain tissue;

Primary antibody: 217234(CAMK4 Antibody) at dilution 1/200; Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution;

Exposure time: 30 seconds



Product Description

Pioneering GTPase and Oncogene Product Development since 2010