

## **Product Description**

Pioneering GTPase and Oncogene Product Development since 2010

## **CCNF RABBIT PAB**

货号: S216458 产品全名: CCNF 兔多抗 基因符号 FBX1; FBXO1; FTDALS5 UNIPROT ID: P41002 (Gene Accession - BC012349)

背景: This gene encodes a member of the cyclin family. Cyclins are important regulators of cell cycle transitions through their ability to bind and activate cyclin-dependent protein kinases. This member also belongs to the F-box protein family which is characterized by an approximately 40 amino acid motif, the F-box. The F-box proteins constitute one of the four subunits of the ubiquitin protein ligase complex called SCFs (SKPI-cullin-F-box), which function in phosphorylation-dependent ubiquitination. The F-box proteins are divided into 3 classes: Fbws containing WD-40 domains, Fbls containing leucine-rich repeats, and Fbxs containing either different protein-protein interaction modules or no recognizable motifs. The protein encoded by this gene belongs to the Fbxs class and it was one of the first proteins in which the F-box motif was identified. [provided by RefSeq, Jul 2008]

抗原: Fusion protein of human CCNF

经过测试的应用: ELISA, IHC

推荐稀释比: IHC: 30-150; ELISA: 5000-10000

种属反应性: Rabbit

克隆性: Rabbit Polyclonal

亚型: Immunogen-specific rabbit IgG

纯化: Antigen affinity purification

种属反应性: Human

成分: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol


研究领域: Cancer

储存和运输: Store at -20°C. Avoid repeated freezing and thawing



## **Product Description**

Pioneering GTPase and Oncogene Product Development since 2010



Immunohistochemistry analysis of paraffin embedded Human cervical cancer tissue using 216458(CCNF Antibody) at a dilution of 1/45(Cytoplasm or Nucleus).

In comparision with the IHC on the left, the same paraffin-embedded Human cervical cancer tissue is first treated with the fusion protein and then with 216458(Anti-CCNF Antibody) at dilution 1/45.

The image on the left is immunohistochemistry of paraffinembedded Human esophagus cancer tissue úsing 216458(Anti-CCNF Antibody) at a dilution of 1/45.

In comparision with the IHC on the left, the same paraffin-embedded Human esophagus cancer tissue is first treated with fusion protein and then with D220510(Anti-CCNF Antibody) at dilution 1/45.