

Product Description

Pioneering GTPase and Oncogene Product Development since 2010

CDC16 RABBIT PAB

货号: S213813

产品全名: CDC16 兔多抗 基因符号 APC6; CUT9; ANAPC6

UNIPROT ID: Q13042 (Gene Accession - NP_001072113)

背景: This gene encodes a component protein of the APC comple,x which is composed of eight proteins and functions as a protein ubiquitin ligase. The APC complex is a cyclin degradation system that governs exit from mitosis. Each component protein of the APC complex is highly conserved among eukaryotic organisms. This protein and two other APC complex proteins, CDC23 and CDC27, contain a tetratricopeptide repeat (TPR), a protein domain that may be involved in protein-protein interaction.

抗原: Synthetic peptide of human CDC16

经过测试的应用: ELISA, WB, IHC

推荐稀释比: IHC: 50-200;WB: 500-2000;ELISA: 2000-5000

种属反应性: Rabbit

克隆性: Rabbit Polyclonal

亚型: Immunogen-specific rabbit IgG 纯化: Antigen affinity purification 种属反应性: Human, Mouse

成分: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol


研究领域: Cancer, Cell Biology

储存和运输: Store at -20°C. Avoid repeated freezing and thawing




Product Description


Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin embedded Human thyroid cancer tissue using 213813(CDC16 Antibody) at a dilution of 1/50(Cytoplasm).




In comparision with the IHC on the left, the same paraffin-embedded Human thyroid cancer tissue is first treated with the synthetic peptide and then with 213813(Anti-CDC16 Antibody) at dilution 1/50.



The image on the left is immunohistochemistry of paraffinembedded Human cervical cancer tissue using 213813(Anti-CDC16 Antibody) at a dilution of 1/50.



In comparision with the IHC on the left, the same paraffin-embedded Human cervical cancer tissue is first treated with synthetic peptide and then with D160885(Anti-CDC16 Antibody) at dilution 1/50.



Gel: 8%SDS-PAGE, Lysate: 40 µg; Lane: Human pancreas tissue; Primary antibody: 213813(CDC16 Antibody) at dilution 1/250; Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution; Exposure time: 5 seconds



Product Description

Pioneering GTPase and Oncogene Product Development since 2010