

Product Description

Pioneering GTPase and Oncogene Product Development since 2010

CISD1 RABBIT PAB

货号: S218501

产品全名: CISDI 兔多抗

基因符号 ZCD1; MDS029; C10orf70; mitoNEET

UNIPROT ID: Q9NZ45 (Gene Accession - BC005962)

背景: This gene encodes a protein with a CDGSH iron-sulfur domain and has been shown to bind a redox-active [2Fe-2S] cluster. The encoded protein has been localized to the outer membrane of mitochondria and is thought to play a role in regulation of oxidation. Genes encoding similar proteins are located on chromosomes 4 and 17, and a pseudogene of this gene is located on chromosome 2.

抗原: Full length fusion 蛋白 经过测试的应用: ELISA, WB, IHC

推荐稀释比: IHC: 25-100;WB: 500-2000;ELISA: 5000-10000

种属反应性: Rabbit


克隆性: Rabbit Polyclonal

亚型: Immunogen-specific rabbit IgG 纯化: Antigen affinity purification 种属反应性: Human, Mouse, Rat


成分: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol

研究领域: Metabolism


储存和运输: Store at -20°C. Avoid repeated freezing and thawing



Immunohistochemistry analysis of paraffin embedded Human esophagus cancer tissue using 218501(CISD1 Antibody) at a dilution of 1/20(Nucleus and Cytoplasm).



In comparision with the IHC on the left, the same paraffin-embedded Human esophagus cancer tissue is first treated with the fusion protein and then with 218501(Anti-CISD1 Antibody) at dilution 1/20.



Gel: 12%SDS-PAGE, Lysate: 40 µg; Lane 1-7: Mouse skeletal muscle tissue, Human heart tissue, Mouse brain tissue, 293T cell, PC-3 cell, HEPG2 cell, Mouse liver tissue lysates; Primary antibody: 218501(CISDI Antibody) at dilution 1/250; Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution; Exposure time: 3 seconds