

## **Product Description**

Pioneering GTPase and Oncogene Product Development since 2010

## **CLTB RABBIT PAB**

货号: S219260 产品全名: CLTB 兔多抗

基因符号 LCB

UNIPROT ID: P09497 (Gene Accession - BC006332)

背景: Clathrin is a large, soluble protein composed of heavy and light chains. It functions as the main structural component of the lattice-type cytoplasmic face of coated pits and vesicles which entrap specific macromolecules during receptor-mediated endocytosis. This gene encodes one of two clathrin light chain proteins which are believed to function as regulatory elements. Alternative splicing results in multiple transcript variants.

抗原: Fusion protein of human CLTB 经过测试的应用: ELISA, WB, IHC

推荐稀释比: IHC: 50-200;WB: 500-2000;ELISA: 5000-10000

种属反应性: Rabbit

克隆性: Rabbit Polyclonal

亚型: Immunogen-specific rabbit IgG 纯化: Antigen affinity purification 种属反应性: Human, Mouse

成分: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol


研究领域: Signal Transduction, Neuroscience

储存和运输: Store at -20°C. Avoid repeated freezing and thawing




## **Product Description**


Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin embedded Human cervical cancer tissue using 219260(CLTB Antibody) at a dilution of 1/70(Cytoplasm).




In comparision with the IHC on the left, the same paraffin-embedded Human cervical cancer tissue is first treated with the fusion protein and then with 219260(Anti-CLTB Antibody) at dilution 1/70.



The image on the left is immunohistochemistry of paraffinembedded Human thyroid cancer tissue using 219260(Anti-CLTB Antibody) at a dilution of 1/70.



In comparision with the IHC on the left, the same paraffin-embedded Human thyroid cancer tissue is first treated with fusion protein and then with D226146(Anti-CLTB Antibody) at dilution 1/70.



kDa

Gel: 12%SDS-PAGE, Lysate: 40 µg; Lane: NIH/3T3 cell lysate; Primary antibody: 219260(CLTB Antibody) at dilution 1/800; Secondary antibody: HRP-conjugated Goat anti rabbit IgG at 1/5000 dilution;

Exposure time: 50 seconds



## **Product Description**

Pioneering GTPase and Oncogene Product Development since 2010