

Product Description

Pioneering GTPase and Oncogene Product Development since 2010

CLTC RABBIT PAB

货号: S220462 产品全名: CLTC 兔多抗

基因符号 Hc; CHC; CHC17; CLH-17; CLTCL2

UNIPROT ID: Q00610 (Gene Accession - NP_004850)

背景: Clathrin is a major protein component of the cytoplasmic face of intracellular organelles, called coated vesicles and coated pits.

These specialized organelles are involved in the intracellular trafficking of receptors and endocytosis of a variety of macromolecules. The basic subunit of the clathrin coat is composed of three heavy chains and three light chains.

抗原: Synthetic peptide of human CLTC

经过测试的应用: ELISA, WB, IHC

推荐稀释比: IHC: 25-100;WB: 200-1000;ELISA: 1000-2000

种属反应性: Rabbit

克隆性: Rabbit Polyclonal

亚型: Immunogen-specific rabbit IgG 纯化: Antigen affinity purification 种属反应性: Human, Mouse, Rat

成分: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol


研究领域: Signal Transduction

储存和运输: Store at -20°C. Avoid repeated freezing and thawing




Product Description


Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin embedded Human gasrtic cancer tissue using 220462(CLTC Antibody) at a dilution of 1/20(Cytoplasm).



In comparision with the IHC on the left, the same paraffin-embedded Human gasrtic cancer tissue is first treated with the synthetic peptide and then with 220462(Anti-CLTC Antibody) at dilution 1/20.



The image on the left is immunohistochemistry of paraffinembedded Human thyroid cancer tissue using 220462(Anti-CLTC Antibody) at a dilution of 1/20.



In comparision with the IHC on the left, the same paraffin-embedded Human thyroid cancer tissue is first treated with synthetic peptide and then with D261565(Anti-CLTC Antibody) at dilution 1/20.



Gel: 6%SDS-PAGE, Lysate: 40 µg; Lane 1-2: A172 cells, hela cells; Primary antibody: 220462(CLTC Antibody) at dilution 1/300; Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution; Exposure time: 40 seconds



Product Description

Pioneering GTPase and Oncogene Product Development since 2010