

Product Description

Pioneering GTPase and Oncogene Product Development since 2010

CMAS RABBIT PAB

货号: S213000

产品全名: CMAS 兔多抗

基因符号 CSS

UNIPROT ID: Q8NFW8 (Gene Accession - BC016609)

背景: This gene encodes an enzyme that converts N-acetylneuraminic acid (NeuNAc) to cytidine 5'-monophosphate N-acetylneuraminic acid (CMP-NeuNAc). This process is important in the formation of sialylated glycoprotein and glycolipids. This modification plays a role in cell-cell communications and immune responses. Alternative splicing results in multiple transcript variants.

抗原: Fusion protein of human CMAS 经过测试的应用: ELISA, WB, IHC

推荐稀释比: IHC: 50-100;WB: 500-2000;ELISA: 5000-10000

种属反应性: Rabbit

克隆性: Rabbit Polyclonal

亚型: Immunogen-specific rabbit IgG 纯化: Antigen affinity purification 种属反应性: Human, Mouse, Rat

成分: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol


研究领域: Metabolism

储存和运输: Store at -20°C. Avoid repeated freezing and thawing




Product Description


Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin embedded Human prostate cancer tissue using 213000(CMAS Antibody) at a dilution of 1/20(Nucleus).




In comparision with the IHC on the left, the same paraffin-embedded Human prostate cancer tissue is first treated with the fusion protein and then with 213000(Anti-CMAS Antibody) at dilution 1/20.



The image on the left is immunohistochemistry of paraffinembedded Human thyroid cancer tissue using 213000(Anti-CMAS Antibody) at a dilution of 1/20.



In comparision with the IHC on the left, the same paraffin-embedded Human thyroid cancer tissue is first treated with fusion protein and then with D126248(Anti-CMAS Antibody) at dilution 1/20.



Gel: 8%SDS-PAGE, Lysate: 40 µg; Lane 1-3: A172, 293T and PC-3 cell lysates; Primary antibody: 213000(CMAS Antibody) at dilution 1/1000; Secondary antibody: HRP-conjugated Goat anti rabbit IgG at 1/5000 dilution;

Exposure time: 30 seconds



Product Description

Pioneering GTPase and Oncogene Product Development since 2010