

Product Description

Pioneering GTPase and Oncogene Product Development since 2010

COFILIN RABBIT PAB

货号: N225279

产品全名: Cofilin 兔多抗

基因符号 CFL1; CFL; Cofilin-1; 18 kDa phosphoprotein; p18; Cofilin; non-

muscle isoform

UNIPROT ID: P23528

背景: The protein encoded by this gene can polymerize and depolymerize F-actin and G-actin in a pH-dependent manner. Increased phosphorylation of this protein by LIM kinase aids in Rho-induced reorganization of the actin cytoskeleton. Cofilin is a widely distributed intracellular actin-modulating protein that binds and depolymerizes filamentous F-actin and inhibits the polymerization of monomeric G-actin in a pH-dependent manner. It is involved in the translocation of actin-cofilin complex from cytoplasm to nucleus.[supplied by OMIM, Apr 2004]

抗原: Peptide sequence around aa. 86~90 (A-T-Y-E-T) derived from Human coflin1/cofilin2.

经过测试的应用: WB,IHC-P,ICC/IF

推荐稀释比: WB: 1/500-1/1000 IHC: 1/50-1/100 IF: 1/50-1/200

种属反应性: Rabbit

克隆性: Rabbit Polyclonal

分子量: Calculated MW: 19 kDa; Observed MW: 19 kDa

亚型: IgG

纯化: Affinity Chromatography

种属反应性: Human, Mouse and Rat

成分: PBS (without Mg2+ and Ca2+), pH 7.3 containing 50% glycerol,

0.5% BSA and 0.02% sodium azide


研究领域: Signal Transduction


储存和运输: Store at -20°C. Avoid repeated freezing and thawing




Product Description


Pioneering GTPase and Oncogene Product Development since 2010







Western blot analysis of Cofilin in (Ab88) antibody.



Immunohistochemistry analysis of paraffin-embedded Human breast carcinoma tissue using coflin1/cofilin2 (Ab88) antibody (left) or the same antibody preincubated with blocking peptide (right).High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.