

## **Product Description**

Pioneering GTPase and Oncogene Product Development since 2010

## **COPS8 RABBIT PAB**

货号: S218531

产品全名: COPS8 兔多抗 基因符号 COP9; CSN8; SGN8

UNIPROT ID: Q99627 (Gene Accession - BC003090)

背景: The protein encoded by this gene is one of the eight subunits of COP9 signalosome, a highly conserved protein complex that functions as an important regulator in multiple signaling pathways. The structure and function of COP9 signalosome is similar to that of the 19S regulatory particle of 26S proteasome. COP9 signalosome has been shown to interact with SCF-type E3 ubiquitin ligases and act as a positive regulator of E3 ubiquitin ligases. Alternatively spliced transcript variants encoding distinct isoforms have been observed.

抗原: Fusion protein of human COPS8

经过测试的应用: ELISA, WB, IHC

推荐稀释比: IHC: 25-100;WB: 200-1000;ELISA: 5000-10000

种属反应性: Rabbit

克隆性: Rabbit Polyclonal

亚型: Immunogen-specific rabbit IgG 纯化: Antigen affinity purification 种属反应性: Human, Mouse, Rat


成分: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol 研究领域: Signal Transduction, Cell Biology, Immunology, Stem Cells, Developmental Biology

储存和运输: Store at -20°C. Avoid repeated freezing and thawing




## **Product Description**


Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin embedded Human liver cancer tissue using 218531(COPS8 Antibody) at a dilution of 1/20(Cytoplasm or Nucleus).




In comparision with the IHC on the left, the same paraffin-embedded Human liver cancer tissue is first treated with the fusion protein and then with 218531(Anti-COPS8 Antibody) at dilution 1/20.



The image on the left is immunohistochemistry of paraffinembedded Human esophagus cancer tissue using 218531(Anti-COPS8 Antibody) at a dilution of 1/20.



In comparision with the IHC on the left, the same paraffin-embedded Human esophagus cancer tissue is first treated with fusion protein and then with D224626(Anti-COPS8 Antibody) at dilution 1/20.



Gel: 12%SDS-PAGE, Lysate: 40 µg;

Lane 1-3: Human kidney tissue and Human fetal liver tissue, Hela cell

Primary antibody: 218531(COPS8 Antibody) at dilution 1/200; Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution; Exposure time: 3 seconds



## **Product Description**

Pioneering GTPase and Oncogene Product Development since 2010