

Product Description

Pioneering GTPase and Oncogene Product Development since 2010

CORO2A RABBIT PAB

货号: S215576 产品全名: CORO2A 兔多抗 基因符号 IR10; WDR2; CLIPINB UNIPROT ID: Q92828 (Gene Accession - NP_003380)

背景: This gene encodes a member of the WD repeat protein family. WD repeats are minimally conserved regions of approximately 40 amino acids typically bracketed by gly-his and trp-asp (GH-WD), which may facilitate formation of heterotrimeric or multiprotein complexes. Members of this family are involved in a variety of cellular processes, including cell cycle progression, signal transduction, apoptosis, and gene regulation. This protein contains 5 WD repeats, and has a structural similarity with actin-binding proteins: the D. discoideum coronin and the human p57 protein, suggesting that this protein may also be an actin-binding protein that regulates cell motility. Alternative splicing of this gene generates 2 transcript variants.

抗原: Synthetic peptide of human CORO2A

经过测试的应用:ELISA, IHC

推荐稀释比: IHC: 30-150; ELISA: 5000-10000

种属反应性: Rabbit

克隆性: Rabbit Polyclonal

亚型: Immunogen-specific rabbit IgG

纯化: Antigen affinity purification

种属反应性: Human

成分: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol


研究领域: Signal Transduction, Epigenetics and Nuclear Signaling

储存和运输: Store at -20°C. Avoid repeated freezing and thawing




Product Description

Pioneering GTPase and Oncogene Product Development since 2010



Immunohistochemistry analysis of paraffin embedded Human gastric cancer tissue using 215576(CORO2A Antibody) at a dilution of 1/45(Cytoplasm and Cell membrane). In comparision with the IHC on the left, the same paraffin-embedded Human gastric cancer tissue is first treated with the synthetic peptide and then with 215576(Anti-CORO2A Antibody) at dilution 1/45.



The image on the left is immunohistochemistry of paraffinembedded Human liver cancer tissue using 215576(Anti-CORO2A Antibody) at a dilution of 1/45.

In comparision with the IHC on the left, the same paraffin-embedded Human liver cancer tissue is first treated with synthetic peptide and then with DI63577(Anti-CORO2A Antibody) at dilution 1/45.