

Product Description

Pioneering GTPase and Oncogene Product Development since 2010

CRAT RABBIT PAB

货号: S218555 产品全名: CRAT 兔多抗

基因符号 CATI

UNIPROT ID: P43155 (Gene Accession - BC000723)

背景: This gene encodes carnitine acetyltransferase (CRAT), which is a key enzyme in the metabolic pathway in mitochondria, peroxisomes and endoplasmic reticulum. CRAT catalyzes the reversible transfer of acyl groups from an acyl-CoA thioester to carnitine and regulates the ratio of acylCoA/CoA in the subcellular compartments. Two transcript variants encoding different isoforms have been found for this gene.

抗原: Fusion protein of human CRAT 经过测试的应用: ELISA, WB, IHC

推荐稀释比: IHC: 20-100;WB: 200-1000;ELISA: 5000-10000

种属反应性: Rabbit

克隆性: Rabbit Polyclonal

亚型: Immunogen-specific rabbit IgG 纯化: Antigen affinity purification 种属反应性: Human, Mouse, Rat

成分: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol


研究领域: Metabolism, Cardiovascular

储存和运输: Store at -20°C. Avoid repeated freezing and thawing




Product Description


Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin embedded Human liver cancer tissue using 218555(CRAT Antibody) at a dilution of 1/20(Cytoplasm).




In comparision with the IHC on the left, the same paraffin-embedded Human liver cancer tissue is first treated with the fusion protein and then with 218555(Anti-CRAT Antibody) at dilution 1/20.



The image on the left is immunohistochemistry of paraffinembedded Human gastric cancer tissue using 218555(Anti-CRAT Antibody) at a dilution of 1/20.



In comparision with the IHC on the left, the same paraffin-embedded Human gastric cancer tissue is first treated with fusion protein and then with D224676(Anti-CRAT Antibody) at dilution 1/20.



Gel: 8%SDS-PAGE, Lysate: 40 µg; Lane 1-2: A549 cell and Human heart tissue lysates; Primary antibody: 218555(CRAT Antibody) at dilution 1/200; Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution; Exposure time: 20 seconds



Product Description

Pioneering GTPase and Oncogene Product Development since 2010