

Product Description

Pioneering GTPase and Oncogene Product Development since 2010

CTBP1 RABBIT PAB

货号: S220483 产品全名: CTBPI 兔多抗

基因符号 BARS

UNIPROT ID: Q13363 (Gene Accession - NP_001012632)

背景: This gene encodes a protein that binds to the C-terminus of adenovirus E1A proteins. This phosphoprotein is a transcriptional repressor and may play a role during cellular proliferation. This protein and the product of a second closely related gene, CTBP2, can dimerize. Both proteins can also interact with a polycomb group protein complex which participates in regulation of gene expression during development. Alternative splicing of transcripts from this gene results in multiple transcript variants.

抗原: Synthetic peptide of human CTBP1

经过测试的应用: ELISA, WB, IHC

推荐稀释比: IHC: 25-100;WB: 200-1000;ELISA: 1000-2000

种属反应性: Rabbit

克隆性: Rabbit Polyclonal

亚型: Immunogen-specific rabbit IgG 纯化: Antigen affinity purification 种属反应性: Human, Mouse, Rat

成分: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol


研究领域: Epigenetics and Nuclear Signaling, Cancer

储存和运输: Store at -20°C. Avoid repeated freezing and thawing




Product Description


Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin embedded Human gasrtic cancer tissue using 220483(CTBP1 Antibody) at a dilution of 1/25(Cytoplasm).




In comparision with the IHC on the left, the same paraffin-embedded Human gasrtic cancer tissue is first treated with the synthetic peptide and then with 220483(Anti-CTBPI Antibody) at dilution 1/25.



The image on the left is immunohistochemistry of paraffinembedded Human thyroid cancer tissue using 220483(Anti-CTBPI Antibody) at a dilution of 1/25.



and then with D261592(Anti-CTBPI Antibody) at dilution 1/25.



Gel: 8%SDS-PAGE, Lysate: 40 µg; Lane: Mouse brain tissue; Primary antibody: 220483(CTBP1 Antibody) at dilution 1/400; Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution; Exposure time: 10 minutes



Product Description

Pioneering GTPase and Oncogene Product Development since 2010