

Product Description

Pioneering GTPase and Oncogene Product Development since 2010

CYP27A1 RABBIT PAB

货号: S217323 产品全名: CYP27A1 兔多抗 基因符号 CTX; CP27; CYP27 UNIPROT ID: Q02318 (Gene Accession - BC051851)

背景: This gene encodes a member of the cytochrome P450 superfamily of enzymes. The cytochrome P450 proteins are monooxygenases which catalyze many reactions involved in drug metabolism and synthesis of cholesterol, steroids and other lipids. This mitochondrial protein oxidizes cholesterol intermediates as part of the bile synthesis pathway. Since the conversion of cholesterol to bile acids is the major route for removing cholesterol from the body, this protein is important for overall cholesterol homeostasis. Mutations in this gene cause cerebrotendinous xanthomatosis, a rare autosomal recessive lipid storage disease.

抗原: Fusion protein of human CYP27A1

经过测试的应用:ELISA, WB, IHC

推荐稀释比: IHC: 25-100;WB: 500-2000;ELISA: 5000-10000

种属反应性: Rabbit

克隆性: Rabbit Polyclonal

亚型: Immunogen-specific rabbit IgG

纯化: Antigen affinity purification

种属反应性: Human, Mouse

成分: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol


研究领域: Metabolism, Cancer, Cardiovascular

储存和运输: Store at -20°C. Avoid repeated freezing and thawing




Product Description


Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin embedded Human liver cancer tissue using 217323(CYP27A1 Antibody) at a dilution of 1/25(Cytoplasm).




In comparision with the IHC on the left, the same paraffin-embedded Human liver cancer tissue is first treated with the fusion protein and then with 217323(Anti-CYP27A1 Antibody) at dilution 1/25.



The image on the left is immunohistochemistry of paraffinembedded Human thyroid cancer tissue using 217323(Anti-CYP27A1 Antibody) at a dilution of 1/25.





In comparision with the IHC on the left, the same paraffin-embedded Human thyroid cancer tissue is first treated with fusion protein and then with D222181(Anti-CYP27A1 Antibody) at dilution 1/25.

Gel: 8%SDS-PAGE, Lysate: 40 µg; Lane 1-4: Mouse liver tissue, HepG2, Mouse heart tissue, Mouse kidney tissue lysates; Primary antibody: 217323(CYP27A1 Antibody) at dilution 1/300; Secondary antibody: HRP-conjugated Goat anti rabbit IgG at 1/5000 dilution; Exposure time: 30 seconds



Product Description

Pioneering GTPase and Oncogene Product Development since 2010