

Product Description

Pioneering GTPase and Oncogene Product Development since 2010

DCAF7 RABBIT PAB

货号: S218026

产品全名: DCAF7 兔多抗

基因符号 ANII; HANII; WDR68; SWAN-I

UNIPROT ID: P61962 (Gene Accession - BC001264)

背景: This gene encodes a protein with multiple WD40 repeats which facilitate protein-protein interactions and thereby enable the assembly of multiprotein complexes. This protein has been shown to function as a scaffold protein for protein complexes involved in kinase signaling. This highly conserved gene is present in eukaryotic plants, fungi, and animals. The ortholog of this gene was first identified in plants as a key regulator of anthocyanin biosynthesis and flower pigmentation.

抗原: Fusion protein of human DCAF7

经过测试的应用: ELISA, WB, IHC

推荐稀释比: IHC: 25-100;WB: 500-2000;ELISA: 5000-10000

种属反应性: Rabbit

克隆性: Rabbit Polyclonal

亚型: Immunogen-specific rabbit IgG 纯化: Antigen affinity purification 种属反应性: Human, Mouse

成分: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol


研究领域: Signal Transduction, Cell Biology

储存和运输: Store at -20°C. Avoid repeated freezing and thawing




Product Description


Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin embedded Human liver cancer tissue using 218026(DCAF7 Antibody) at a dilution of 1/30(Cytoplasm).




In comparision with the IHC on the left, the same paraffin-embedded Human liver cancer tissue is first treated with the fusion protein and then with 218026(Anti-DCAF7 Antibody) at dilution 1/30.



The image on the left is immunohistochemistry of paraffinembedded Human prostate cancer tissue using 218026(Anti-DCAF7 Antibody) at a dilution of 1/30.



In comparision with the IHC on the left, the same paraffin-embedded Human prostate cancer tissue is first treated with fusion protein and then with D223570(Anti-DCAF7 Antibody) at dilution 1/30.



Gel: 8%SDS-PAGE, Lysate: 40 µg; Lane: Human fetal brain tissue lysate; Primary antibody: 218026(DCAF7 Antibody) at dilution 1/300; Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution; Exposure time: 30 seconds



Product Description

Pioneering GTPase and Oncogene Product Development since 2010