

DCT RABBIT PAB

货号: S216861

产品全名: DCT 兔多抗

基因符号 TRP-2; TYRP2

UNIPROT ID: P40126 (Gene Accession - BC028311)

背景: This protein can involved in regulating eumelanin and phaeomelanin levels. The subcellular location of this protein is melanosome membrane, Single-pass type I membrane protein. It may form a multienzyme complex together with Tyrosinase and TYRP1.

抗原: Fusion protein of human DCT

经过测试的应用: ELISA, IHC

推荐稀释比: IHC: 25-100; ELISA: 2000-5000

种属反应性: Rabbit

克隆性: Rabbit Polyclonal

亚型: Immunogen-specific rabbit IgG


纯化: Antigen affinity purification

种属反应性: Human, Mouse


成分: PBS (without Mg²⁺ and Ca²⁺), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol

研究领域: Metabolism, Cancer, Cell Biology


储存和运输: Store at -20°C. Avoid repeated freezing and thawing




Immunohistochemistry analysis of paraffin embedded Human cervical cancer tissue using 216861(DCT Antibody) at a dilution of 1/25(Cytoplasm).



In comparison with the IHC on the left, the same paraffin-embedded Human cervical cancer tissue is first treated with the fusion protein and then with 216861(Anti-DCT Antibody) at dilution 1/25.



The image on the left is immunohistochemistry of paraffin-embedded Human colon cancer tissue using 216861(Anti-DCT Antibody) at a dilution of 1/25.



In comparison with the IHC on the left, the same paraffin-embedded Human colon cancer tissue is first treated with fusion protein and then with D221374(Anti-DCT Antibody) at dilution 1/25.



Product Description

Pioneering GTPase and Oncogene Product Development since 2010
