

Product Description

Pioneering GTPase and Oncogene Product Development since 2010

DCTN2 RABBIT PAB

货号: S217347

产品全名: DCTN2 兔多抗

基因符号 RBP50; DCTN50; HEL-S-77; DYNAMITIN UNIPROT ID: Q13561 (Gene Accession - BC000718)

背景: This gene encodes a 50-kD subunit of dynactin, a macromolecular complex consisting of 10-11 subunits ranging in size from 22 to 150 kD. Dynactin binds to both microtubules and cytoplasmic dynein. It is involved in a diverse array of cellular functions, including ER-to-Golgi transport, the centripetal movement of lysosomes and endosomes, spindle formation, chromosome movement, nuclear positioning, and axonogenesis. This subunit is present in 4-5 copies per dynactin molecule. It contains three short alpha-helical coiled-coil domains that may mediate association with self or other dynactin subunits.

抗原: Fusion protein of human DCTN2

经过测试的应用: ELISA, WB, IHC

推荐稀释比: IHC: 50-200;WB: 200-1000;ELISA: 2000-5000

种属反应性: Rabbit

克隆性: Rabbit Polyclonal

亚型: Immunogen-specific rabbit IgG 纯化: Antigen affinity purification 种属反应性: Human, Mouse, Rat

成分: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol


研究领域: Signal Transduction, Cancer

储存和运输: Store at -20°C. Avoid repeated freezing and thawing




Product Description


Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin embedded Human cervical cancer tissue using 217347(DCTN2 Antibody) at a dilution of 1/25(Cytoplasm).




In comparision with the IHC on the left, the same paraffin-embedded Human cervical cancer tissue is first treated with the fusion protein and then with 217347(Anti-DCTN2 Antibody) at dilution 1/25.



The image on the left is immunohistochemistry of paraffinembedded Human thyroid cancer tissue using 217347(Anti-DCTN2 Antibody) at a dilution of 1/25.



In comparision with the IHC on the left, the same paraffin-embedded Human thyroid cancer tissue is first treated with fusion protein and then with D222213(Anti-DCTN2 Antibody) at dilution 1/25.



Gel: 8%SDS-PAGE, Lysate: 40 μg; Lane 1-3: 293T cells, mouse brain tissue, A375 cells; Primary antibody: 217347(DCTN2 Antibody) at dilution 1/200; Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution; Exposure time: 20 seconds



Product Description

Pioneering GTPase and Oncogene Product Development since 2010