

Product Description

Pioneering GTPase and Oncogene Product Development since 2010

DNAJB1 RABBIT PAB

货号: S217073

产品全名: DNAJBI 兔多抗

基因符号 Hdjl; Sisl; HSPFl; Hsp40; RSPHl6B

UNIPROT ID: P25685 (Gene Accession - BC002352)

背景: Heat shock protein 40 (HSP 40) family proteins bind to HSP 70 through their J-domain and regulate the function of HSP 70 by stimulating HSP 70 ATPase activity. HSP 40, also known as DnaJ, functions together with DnaK (HSP 70) and GrpE as a molecular chaperone, involving them in assembly and disassembly of protein complexes, protein folding, renaturation of denatured proteins, prevention of protein aggregation and protein export. HSP 40 stimulates the association between HSC 70 and HIP and translocates rapidly from the cytoplasm to the nuclei, and especially to the nucleoli, upon heat shock. There are five known HSP 40 family proteins.

抗原: Fusion protein of human DNAJB1

经过测试的应用: ELISA, WB, IHC

推荐稀释比: IHC: 50-200;WB: 500-2000;ELISA: 2000-5000

种属反应性: Rabbit 克隆性: Rabbit Polyclonal

亚型: Immunogen-specific rabbit IgG 纯化: Antigen affinity purification 种属反应性: Human, Mouse

成分: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol


研究领域: Signal Transduction

储存和运输: Store at -20°C. Avoid repeated freezing and thawing




Product Description


Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin embedded Human lung cancer tissue using 217073(DNAJB1 Antibody) at a dilution of 1/40(Cytoplasm and Nucleus).




In comparision with the IHC on the left, the same paraffin-embedded Human lung cancer tissue is first treated with the fusion protein and then with 217073(Anti-DNAJB1 Antibody) at dilution 1/40.



The image on the left is immunohistochemistry of paraffinembedded Human gastric cancer tissue using 217073(Anti-DNAJBI Antibody) at a dilution of 1/40.



In comparision with the IHC on the left, the same paraffin-embedded Human gastric cancer tissue is first treated with fusion protein and then with D221744(Anti-DNAJB1 Antibody) at dilution 1/40.



Gel: 15%SDS-PAGE, Lysate: 40 µg;

Lane: 293T cells

Primary antibody: 217073(DNAJB1 Antibody) at dilution 1/750; Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution;

Exposure time: 1 second



Product Description

Pioneering GTPase and Oncogene Product Development since 2010