

Product Description

Pioneering GTPase and Oncogene Product Development since 2010

DNPH1 RABBIT PAB

货号: S219227

产品全名: DNPHI 兔多抗

基因符号 RCL; C6orf108; dJ330M21.3

UNIPROT ID: O43598 (Gene Accession - BC011683)

背景: This gene was identified on the basis of its stimulation by c-Myc protein. The latter is a transcription factor that participates in the regulation of cell proliferation, differentiation, and apoptosis. The exact function of this gene is not known but studies in rat suggest a role in cellular proliferation and c-Myc-mediated transformation. Two alternative transcripts encoding different proteins have been described.

抗原: Fusion protein of human DNPH1

经过测试的应用: ELISA, WB, IHC

推荐稀释比: IHC: 50-200;WB: 500-2000;ELISA: 5000-10000

种属反应性: Rabbit

克隆性: Rabbit Polyclonal

亚型: Immunogen-specific rabbit IgG 纯化: Antigen affinity purification

种属反应性: Human

成分: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol


研究领域: Cancer, Cell Biology

储存和运输: Store at -20°C. Avoid repeated freezing and thawing




Product Description


Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin embedded Human liver cancer tissue using 219227(DNPHI Antibody) at a dilution of 1/60(Cytoplasm).




In comparision with the IHC on the left, the same paraffin-embedded Human liver cancer tissue is first treated with the fusion protein and then with 219227(Anti-DNPHI Antibody) at dilution 1/60.



The image on the left is immunohistochemistry of paraffinembedded Human tonsil tissue using 219227(Ánti-DNPH1 Antibody) at Human tonsil tissue is first treated with fusion protein and then with a dilution of 1/60.



In comparision with the IHC on the left, the same paraffin-embedded D226089(Anti-DNPH1 Antibody) at dilution 1/60.



Gel: 12%SDS-PAGE, Lysate: 40 µg; Lane: Human heart tissue lysate; Primary antibody: 219227(DNPH1 Antibody) at dilution 1/800; Secondary antibody: HRP-conjugated Goat anti rabbit IgG at 1/5000 dilution;

Exposure time: 30 seconds



Product Description

Pioneering GTPase and Oncogene Product Development since 2010