

Product Description

Pioneering GTPase and Oncogene Product Development since 2010

DUSP15 RABBIT PAB

货号: S219431

产品全名: DUSP15 兔多抗 基因符号 VHY; C20orf57

UNIPROT ID: Q9H1R2 (Gene Accession - BC056911)

背景: The protein encoded by this gene has both protein-tyrosine phophatase activity and serine/threonine-specific phosphatase activity, and therefore is known as a dual specificity phosphatase. This protein may function in the differentiation of oligodendrocytes. Alternative splicing results in multiple transcript variants.

抗原: Fusion protein of human DUSP15

经过测试的应用: ELISA, WB, IHC

推荐稀释比: IHC: 150-300;WB: 500-2000;ELISA: 5000-10000

种属反应性: Rabbit

克隆性: Rabbit Polyclonal

亚型: Immunogen-specific rabbit IgG 纯化: Antigen affinity purification 种属反应性: Human, Mouse, Rat

成分: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol


研究领域: Metabolism, Signal Transduction

储存和运输: Store at -20°C. Avoid repeated freezing and thawing




Product Description


Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin embedded Human colorectal cancer tissue using 219431(DUSP15 Antibody) at a dilution of 1/150(Cytoplasm).




In comparision with the IHC on the left, the same paraffin-embedded Human colorectal cancer tissue is first treated with the fusion protein and then with 219431(Anti-DUSP15 Antibody) at dilution 1/150.



The image on the left is immunohistochemistry of paraffinembedded Human liver cancer tissue using 219431(Anti-DUSP15 Antibody) at a dilution of 1/150.



In comparision with the IHC on the left, the same paraffin-embedded Human liver cancer tissue is first treated with fusion protein and then with D226940(Anti-DUSP15 Antibody) at dilution 1/150.



Gel: 8%SDS-PAGE, Lysate: 40 µg;

Lane 1-3: Human cerebrum tissue, HepG2 cell, Mouse testis tissue lysates;

Primary antibody: 219431(DUSP15 Antibody) at dilution 1/800;

Secondary antibody: HRP-conjugated Goat anti rabbit IgG at 1/5000 dilution;

Exposure time: 5 minutes



Product Description

Pioneering GTPase and Oncogene Product Development since 2010