

Product Description

Pioneering GTPase and Oncogene Product Development since 2010

EBI3 RABBIT PAB

货号: S218197

产品全名: EBI3 兔多抗

基因符号 IL27B; IL35B; IL-27B

UNIPROT ID: Q14213 (Gene Accession - BC015364)

背景: This gene was identified by its induced expression in B lymphocytes in response Epstein-Barr virus infection. It encodes a secreted glycoprotein belonging to the hematopoietin receptor family, and heterodimerizes with a 28 kDa protein to form interleukin 27 (IL-27). IL-27 regulates T cell and inflammatory responses, in part by activating the Jak/STAT pathway of CD4+ T cells.

抗原: Fusion protein of human EBI3 经过测试的应用: ELISA, WB, IHC

推荐稀释比: IHC: 100-300;WB: 500-2000;ELISA: 5000-10000

种属反应性: Rabbit

克隆性: Rabbit Polyclonal

亚型: Immunogen-specific rabbit IgG 纯化: Antigen affinity purification 种属反应性: Human, Mouse

成分: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol


研究领域: Immunology

储存和运输: Store at -20°C. Avoid repeated freezing and thawing




Product Description


Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin embedded Human liver cancer tissue using 218197(EBI3 Antibody) at a dilution of 1/120(Secreted).




In comparision with the IHC on the left, the same paraffin-embedded Human liver cancer tissue is first treated with the fusion protein and then with 218197(Anti-EBI3 Antibody) at dilution 1/120.



The image on the left is immunohistochemistry of paraffinembedded Human colorectal cancer tissue using 218197(Anti-EBI3 Antibody) at a dilution of 1/120.



In comparision with the IHC on the left, the same paraffin-embedded Human colorectal cancer tissue is first treated with fusion protein and then with D223916(Anti-EBI3 Antibody) at dilution 1/120.



Gel: 12%SDS-PAGE, Lysate: 40 µg; Lane 1-2: 293T cell, Mouse kidney tissue lysates; Primary antibody: 218197(EBI3 Antibody) at dilution 1/400; Secondary antibody: HRP-conjugated Goat anti rabbit IgG at 1/5000 dilution;

Exposure time: 3 minutes



Product Description

Pioneering GTPase and Oncogene Product Development since 2010