

Product Description

Pioneering GTPase and Oncogene Product Development since 2010

ELAVL1 RABBIT PAB

货号: S216489

产品全名: ELAVLI 兔多抗

基因符号 HUR; Hua; MelG; ELAV1

UNIPROT ID: Q15717 (Gene Accession - BC003376)

背景: The protein encoded by this gene is a member of the ELAVL family of RNA-binding proteins that contain several RNA recognition motifs, and selectively bind AU-rich elements (AREs) found in the 3' untranslated regions of mRNAs. AREs signal degradation of mRNAs as a means to regulate gene expression, thus by binding AREs, the ELAVL family of proteins play a role in stabilizing ARE-containing mRNAs. This gene has been implicated in a variety of biological processes and has been linked to a number of diseases, including cancer. It is highly expressed in many cancers, and could be potentially useful in cancer diagnosis, prognosis, and therapy.

抗原: Fusion protein of human ELAVL1

经过测试的应用: ELISA, WB, IHC

推荐稀释比: IHC: 25-100;WB: 500-2000;ELISA: 2000-5000

种属反应性: Rabbit 克隆性: Rabbit Polyclonal

亚型: Immunogen-specific rabbit IgG 纯化: Antigen affinity purification 种属反应性: Human, Mouse

成分: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol


研究领域: Epigenetics and Nuclear Signaling

储存和运输: Store at -20°C. Avoid repeated freezing and thawing




Product Description


Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin embedded Human lung cancer tissue using 216489(ELAVL1 Antibody) at a dilution of 1/50(Nucleus and Cytoplasm).




In comparision with the IHC on the left, the same paraffin-embedded Human lung cancer tissue is first treated with the fusion protein and then with 216489(Anti-ELAVLI Antibody) at dilution 1/50.



The image on the left is immunohistochemistry of paraffinembedded Human prostate cancer tissue using 216489(Anti-ELAVLI Antibody) at a dilution of 1/50.



In comparision with the IHC on the left, the same paraffin-embedded Human prostate cancer tissue is first treated with fusion protein and then with D220589(Anti-ELAVL1 Antibody) at dilution 1/50.



Gel: 10%SDS-PAGE, Lysate: 40 µg; Lane 1-4: Hela cells, NIH/3T3 cells, A172 cells, A431 cells; Primary antibody: 216489(ELAVL1 Antibody) at dilution 1/800; Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution; Exposure time: 5 seconds



Product Description

Pioneering GTPase and Oncogene Product Development since 2010