

Product Description

Pioneering GTPase and Oncogene Product Development since 2010

EMILIN1 RABBIT PAB

货号: S219344

产品全名: EMILINI 兔多抗 基因符号 EMI; gp115; EMILIN

UNIPROT ID: Q9Y6C2 (Gene Accession - BC007530)

背景: This gene encodes an extracellular matrix glycoprotein that is characterized by an N-terminal microfibril interface domain, a coiled-coiled alpha-helical domain, a collagenous domain and a C-terminal globular Clq domain. The encoded protein associates with elastic fibers at the interface between elastin and microfibrils and may play a role in the development of elastic tissues including large blood vessels, dermis, heart and lung.

抗原: Fusion protein of human EMILIN1

经过测试的应用: ELISA, WB, IHC

推荐稀释比: IHC: 50-100;WB: 500-2000;ELISA: 5000-10000

种属反应性: Rabbit

克隆性: Rabbit Polyclonal

亚型: Immunogen-specific rabbit IgG 纯化: Antigen affinity purification 种属反应性: Human, Mouse

成分: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol


研究领域: Signal Transduction, Cardiovascular

储存和运输: Store at -20°C. Avoid repeated freezing and thawing




Product Description


Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin embedded Human tonsil tissue using 219344(EMILIN1 Antibody) at a dilution of 1/70(Secreted).




In comparision with the IHC on the left, the same paraffin-embedded Human tonsil tissue is first treated with the fusion protein and then with 219344(Anti-EMILINI Antibody) at dilution 1/70.



The image on the left is immunohistochemistry of paraffinembedded Human liver cancer tissue using 219344(Anti-EMILINI Antibody) at a dilution of 1/70.



In comparision with the IHC on the left, the same paraffin-embedded Human liver cancer tissue is first treated with fusion protein and then with D226482(Anti-EMILINI Antibody) at dilution 1/70.



Gel: 6%SDS-PAGE, Lysate: 40 µg; Lane 1-2: 293T and LOVO cell lysates; Primary antibody: 219344(EMILINI Antibody) at dilution 1/1000; Secondary antibody: HRP-conjugated Goat anti rabbit lgG at 1/5000 dilution;

Exposure time: 1 minute



Product Description

Pioneering GTPase and Oncogene Product Development since 2010