

## **Product Description**

Pioneering GTPase and Oncogene Product Development since 2010

## **FGFR10P RABBIT PAB**

货号: S217442

产品全名: FGFRIOP 兔多抗

基因符号 FOP

UNIPROT ID: 095684 (Gene Accession - BC011902)

背景: This gene encodes a largely hydrophilic centrosomal protein that is required for anchoring microtubules to subcellular structures. A t(6;8)(q27;p11) chromosomal translocation, fusing this gene and the fibroblast growth factor receptor 1 (FGFR1) gene, has been found in cases of myeloproliferative disorder. The resulting chimeric protein contains the N-terminal leucine-rich region of this encoded protein fused to the catalytic domain of FGFR1. Alterations in this gene may also be associated with Crohn's disease, Graves' disease, and vitiligo. Alternatively spliced transcript variants that encode different proteins have been identified.

抗原: Fusion protein of human FGFRIOP

经过测试的应用: ELISA, WB, IHC

推荐稀释比: IHC: 50-200;WB: 500-2000;ELISA: 2000-5000

种属反应性: Rabbit

克隆性: Rabbit Polyclonal

亚型: Immunogen-specific rabbit IgG 纯化: Antigen affinity purification 种属反应性: Human, Mouse

成分: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol


研究领域: Cell Biology

储存和运输: Store at -20°C. Avoid repeated freezing and thawing




## **Product Description**


Pioneering GTPase and Oncogene Product Development since 2010




tissue using 217442(FGFRIOP Antibody) at a dilution of 1/40(Cytoplasm).




Immunohistochemistry analysis of paraffin embedded Human brain In comparision with the IHC on the left, the same paraffin-embedded Human brain tissue is first treated with the fusion protein and then with 217442(Anti-FGFR1OP Antibody) at dilution 1/40.



The image on the left is immunohistochemistry of paraffinembedded Human cervical cancer tissue using 217442(Anti-FGFR1OP Antibody) at a dilution of 1/40.



In comparision with the IHC on the left, the same paraffin-embedded Human cervical cancer tissue is first treated with fusion protein and then with D222365(Anti-FGFRIOP Antibody) at dilution 1/40.



Gel: 8%SDS-PAGE, Lysate: 40 µg; Lane 1-3: Mouse heart tissue, NIH/3T3 cells, mouse liver tissue; Primary antibody: 217442(FGFR1OP Antibody) at dilution 1/850; Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution; Exposure time: 2 minutes



## **Product Description**

Pioneering GTPase and Oncogene Product Development since 2010