

Product Description

Pioneering GTPase and Oncogene Product Development since 2010

FOSL1 RABBIT PAB

货号: S219779

产品全名: FOSLI 兔多抗 基因符号 FRA; FRAI; fra-I

UNIPROT ID: P15407 (Gene Accession - NP_005429)

背景: The Fos gene family consists of 4 members: FOS, FOSB, FOSL1, and FOSL2. These genes encode leucine zipper proteins that can dimerize with proteins of the JUN family, thereby forming the transcription factor complex AP-1. As such, the FOS proteins have been implicated as regulators of cell proliferation, differentiation, and transformation.

抗原: Synthetic peptide of human FOSL1

经过测试的应用: ELISA, WB, IHC

推荐稀释比: IHC: 50-200;WB: 500-2000;ELISA: 2000-5000

种属反应性: Rabbit 克隆性: Rabbit Polyclonal


亚型: Immunogen-specific rabbit IgG 纯化: Antigen affinity purification

种属反应性: Human, Rat


成分: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol

研究领域: Epigenetics and Nuclear Signaling


储存和运输: Store at -20°C. Avoid repeated freezing and thawing



Immunohistochemistry analysis of paraffin embedded Human gastric cancer tissue using 219779(FOSL1 Antibody) at a dilution of 1/30(nucleus).



In comparision with the IHC on the left, the same paraffin-embedded Human gastric cancer tissue is first treated with the synthetic peptide and then with 219779(Anti-FOSL1 Antibody) at dilution 1/30.



Gel: 10%SDS-PAGE, Lysate: 40 µg; Lane 1-2: Hela cells, Jurkat cells; Primary antibody: 219779(FOSL1 A

Primary antibody: 219779(FOSLI Antibody) at dilution 1/615; Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution;

Exposure time: 20 seconds