FOXP3 RABBIT PAB

货号: N225011
产品全名: FOXP3 兔多抗
基因符号 FOXP3; IPEX; JM2; Forkhead box protein P3; Scurfin
UNIPROT ID: Q9BZS1
背景: Defects in FOXP3 are the cause of immunodeficiency polyendocrinopathy, enteropathy, X-linked syndrome (IPEX) [MIM:304790]; also known as X-linked autoimmunity-immunodeficiency syndrome. IPEX is characterized by neonatal onset insulin-dependent diabetes mellitus, infections, secretory diarrhea, trombocytopenia, anemia and eczema. It is usually lethal in infancy.
抗原: The antiserum was produced against synthesized peptide derived from the C-terminal region of human FOXP3. AA range:381-430
经过测试的应用: WB,IHC-P,ELISA
推荐稀释比: WB: 1/500-1/1000 IHC: 1/50-1/100 ELISA: 1/10000
种属反应性: Rabbit
克隆性： Rabbit Polyclonal
分子量: Calculated MW: 47 kDa; Observed MW: 47 kDa
亚型: IgG
纯化: Affinity Purified
种属反应性: Human, Mouse and Rat
成分: PBS (without Mg2+ and Ca2+), pH 7.3 containing 50% glycerol, 0.5% BSA and 0.02% sodium azide
研究领域: Cell Biology
储存和运输: Store at -20°C. Avoid repeated freezing and thawing



Immunohistochemistry analysis of paraffin-embedded Human tonsilla using FOXP3 antibody.High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.



Western blot analysis of FOXP3 in PC-12 lysates using FOXP3 antibody.



Immunohistochemistry analysis of paraffin-embedded Human bladder cancer using FOXP3 antibody. High-pressure and temperature Tris-EDTA was used for antigen retrieval.



Immunohistochemistry analysis of paraffin-embedded Human colon using FOXP3 antibody.High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.



Immunohistochemistry analysis of paraffin-embedded Human colon using FOXP3 antibody.High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.