

## FRACTALKINE RECEPTOR RABBIT PAB

货号: N225026

产品全名: Fractalkine Receptor 兔多抗

基因符号 CX3CR1; CMKBRL1; GPR13; CX3C chemokine receptor 1; C-X3-C  
CKR-1; CX3CR1; Beta chemokine receptor-like 1; CMK-BRL-1; CMK-BRL1;  
Fractalkine receptor; G-protein coupled receptor 13; V28

**UNIPROT ID:** P49238

背景: Receptor for the C-X3-C chemokine fractalkine (CX3CL1) present  
on many early leukocyte cells; CX3CR1-CX3CL1 signaling exerts distinct  
functions in different tissue compartments, such as immune response,  
inflammation, cell adhesion and chemotaxis.

抗原: Synthesized peptide derived from Fractalkine Receptor . at AA  
range: 120-200

经过测试的应用: WB,IHC-P,ELISA

推荐稀释比: WB: 1/500-1/1000 IHC: 1/50-1/100 ELISA: 1/10000

种属反应性: Rabbit

克隆性: Rabbit Polyclonal

分子量: Calculated MW: 40 kDa; Observed MW: 40 kDa

亚型: IgG


纯化: Affinity Purified

种属反应性: Human, Mouse and Rat


成分: PBS (without Mg<sup>2+</sup> and Ca<sup>2+</sup>), pH 7.3 containing 50% glycerol,  
0.5% BSA and 0.02% sodium azide

研究领域: Microbiology


储存和运输: Store at -20°C. Avoid repeated freezing and thawing




Immunohistochemistry analysis of paraffin-embedded rat brain using Fractalkine Receptor antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.



Western blot analysis of Fractalkine Receptor in U87 lysates using Fractalkine Receptor antibody.



Immunohistochemistry analysis of paraffin-embedded rat brain using Fractalkine Receptor antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.



Immunohistochemistry analysis of paraffin-embedded rat brain using Fractalkine Receptor antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.