

## **Product Description**

Pioneering GTPase and Oncogene Product Development since 2010

## **FUT8 RABBIT PAB**

货号: S214345 产品全名: FUT8 兔多抗 基因符号 CDGF; CDGFI

UNIPROT ID: Q9BYC5 (Gene Accession - NP\_835368)

背景: This gene encodes an enzyme belonging to the family of fucosyltransferases. The product of this gene catalyzes the transfer of fucose from GDP-fucose to N-linked type complex glycopeptides. This enzyme is distinct from other fucosyltransferases which catalyze alpha1-2, alpha1-3, and alpha1-4 fucose addition. The expression of this gene may contribute to the malignancy of cancer cells and to their invasive and metastatic capabilities. Alternative splicing results in multiple transcript variants.

抗原: Synthetic peptide of human FUT8

经过测试的应用: ELISA, WB, IHC

推荐稀释比: IHC: 50-200;WB: 500-2000;ELISA: 5000-10000

种属反应性: Rabbit

克隆性: Rabbit Polyclonal

亚型: Immunogen-specific rabbit IgG 纯化: Antigen affinity purification 种属反应性: Human, Mouse, Rat

成分: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol


研究领域: Metabolism, Cancer

储存和运输: Store at -20°C. Avoid repeated freezing and thawing




## **Product Description**

Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin embedded Human gastric cancer tissue using 214345(FUT8 Antibody) at a dilution of 1/50(Cytoplasm).


In comparision with the IHC on the left, the same paraffin-embedded Human gastric cancer tissue is first treated with the synthetic peptide and then with 214345(Anti-FUT8 Antibody) at dilution 1/50.



The image on the left is immunohistochemistry of paraffinembedded Human liver cancer tissue using 214345(Anti-FUT8 Antibody) at a dilution of 1/50.



In comparision with the IHC on the left, the same paraffin-embedded Human liver cancer tissue is first treated with synthetic peptide and then with D161693(Anti-FUT8 Antibody) at dilution 1/50.



Gel: 8%SDS-PAGE, Lysate: 40 µg; Lane: PC-3 cell lysate; Primary antibody: 214345(FUT8 Antibody) at dilution 1/800; Secondary antibody: HRP-conjugated Goat anti rabbit IgG at 1/5000 dilution;

Exposure time: 1 minute



## **Product Description**

Pioneering GTPase and Oncogene Product Development since 2010