

Product Description

Pioneering GTPase and Oncogene Product Development since 2010

GBA RABBIT PAB

货号: S222067 产品全名: GBA 兔多抗 基因符号 GCB; GBA1; GLUC

UNIPROT ID: P04062 (Gene Accession - NP_000148)

背景: This gene encodes a lysosomal membrane protein that cleaves the beta-glucosidic linkage of glycosylceramide, an intermediate in glycolipid metabolism. Mutations in this gene cause Gaucher disease, a lysosomal storage disease characterized by an accumulation of glucocerebrosides. A related pseudogene is approximately 12 kb downstream of this gene on chromosome 1. Alternative splicing results in multiple transcript variants.

抗原: Synthetic peptide of human GBA

经过测试的应用: ELISA, WB, IHC

推荐稀释比: IHC: 50-100;WB: 500-2000;ELISA: 5000-10000

种属反应性: Rabbit

克隆性: Rabbit Polyclonal

亚型: Immunogen-specific rabbit IgG 纯化: Antigen affinity purification 种属反应性: Human, Mouse

成分: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol


研究领域: Metabolism, Cancer, Neuroscience

储存和运输: Store at -20°C. Avoid repeated freezing and thawing




Product Description


Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin embedded Human breast cancer tissue using 222067(GBA Antibody) at a dilution of 1/55(Cytoplasm).




In comparision with the IHC on the left, the same paraffin-embedded Human breast cancer tissue is first treated with the synthetic peptide and then with 222067(Anti-GBA Antibody) at dilution 1/55.



The image on the left is immunohistochemistry of paraffinembedded Human tonsil tissue using 222067(Anti-GBA Antibody) at a dilution of 1/55.



In comparision with the IHC on the left, the same paraffin-embedded Human tonsil tissue is first treated with synthetic peptide and then with D263969(Anti-GBA Antibody) at dilution 1/55.



Gel: 8%SDS-PAGE, Lysate: 40 µg; Lane: 231 cell lysate; Primary antibody: 222067(GBA Antibody) at dilution 1/1350; Secondary antibody: HRP-conjugated Goat anti rabbit IgG at 1/5000 dilution;

Exposure time: 3 minutes



Product Description

Pioneering GTPase and Oncogene Product Development since 2010