

Product Description

Pioneering GTPase and Oncogene Product Development since 2010

GPM6A RABBIT PAB

货号: S217143

产品全名: GPM6A 兔多抗 基因符号 M6A; GPM6

UNIPROT ID: P51674 (Gene Accession - BC022508)

背景: Neuronal membrane glycoprotein M6-a is a protein that in humans is encoded by the GPM6A gene. Involved in neuronal differentiation, including differentiation and migration of neuronal stem cells. Plays a role in neuronal plasticity and is involved in neurite and filopodia outgrowth, filopodia motility and probably synapse formation. GPM6A-induced filopodia formation involves mitogen-activated protein kinase (MAPK) and Src signaling pathways. May be involved in neuronal NGF-dependent Ca2+ influx. May be involved in regulation of endocytosis and intracellular trafficking of G-protein-coupled receptors (GPCRs); enhances internalization and recycling of mu-type opioid receptor.

抗原: Fusion protein of human GPM6A

经过测试的应用: ELISA, WB, IHC

推荐稀释比: IHC: 50-200;WB: 1000-5000;ELISA: 2000-10000

种属反应性: Rabbit

克隆性: Rabbit Polyclonal

亚型: Immunogen-specific rabbit IgG 纯化: Antigen affinity purification 种属反应性: Human, Mouse, Rat

成分: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol


研究领域: Neuroscience


储存和运输: Store at -20°C. Avoid repeated freezing and thawing




Product Description

Pioneering GTPase and Oncogene Product Development since 2010






Immunohistochemistry analysis of paraffin embedded Human brain tissue using 217143(GPM6A Antibody) at a dilution of Human brain tissue is first treated with the fusion protein and then with 217143(Anti-GPM6A Antibody) at dilution 1/50(Cytoplasm).



The image on the left is immunohistochemistry of paraffinembedded Human thyroid cancer tissue using 217143(Anti-GPM6A Antibody) at a dilution of 1/50.



In comparision with the IHC on the left, the same paraffin-embedded Human thyroid cancer tissue is first treated with fusion protein and then with D221869(Anti-GPM6A Antibody) at dilution 1/50.



Gel: 8%SDS-PAGE, Lysate: 20 µg; Lane: Human fetal brain tissue; Primary antibody: 217143(GPM6A Antibody) at dilution 1/1050; Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution; Exposure time: 1 second



Product Description

Pioneering GTPase and Oncogene Product Development since 2010