

Product Description

Pioneering GTPase and Oncogene Product Development since 2010

H3-3B RABBIT PAB

货号: S218959

产品全名: H3-3B 兔多抗

基因符号 H3-3A; H3.3B; H3F3B; BRYLIB2

UNIPROT ID: P84243 (Gene Accession - BC001124)

背景: Histones are basic nuclear proteins that are responsible for the nucleosome structure of the chromosomal fiber in eukaryotes. Two molecules of each of the four core histones (H2A, H2B, H3, and H4) form an octamer, around which approximately 146 bp of DNA is wrapped in repeating units, called nucleosomes. The linker histone, H1, interacts with linker DNA between nucleosomes and functions in the compaction of chromatin into higher order structures. This gene contains introns and its mRNA is polyadenylated, unlike most histone genes. The protein encoded by this gene is a replication-independent histone that is a member of the histone H3 family. Pseudogenes of this gene have been identified on the X chromosome, and on chromosomes 5, 13 and 17.

抗原: Fusion protein of human H3-3B 经过测试的应用: ELISA, WB, IHC

推荐稀释比: IHC: 50-100;WB: 1000-5000;ELISA: 5000-10000

种属反应性: Rabbit


克隆性: Rabbit Polyclonal


亚型: Immunogen-specific rabbit IgG 纯化: Antigen affinity purification 种属反应性: Human, Mouse, Rat


成分: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol

研究领域: Epigenetics and Nuclear Signaling


储存和运输: Store at -20°C. Avoid repeated freezing and thawing







In comparision with the IHC on the left, the same paraffin-embedded Human prostate cancer tissue is first treated with the fusion protein and then with 218959(Anti-H3-3B Antibody) at dilution 1/80.



Gel: 12%SDS-PAGE, Lysate: 40 µg; Lane 1-4: A549, LO2, Raji, 293T cell lysates; Primary antibody: 218959(H3-3B Antibody) at dilution 1/1200; Secondary antibody: HRP-conjugated Goat anti rabbit IgG at 1/5000 dilution;

Exposure time: 15 seconds



Product Description

Pioneering GTPase and Oncogene Product Development since 2010