

## **Product Description**

Pioneering GTPase and Oncogene Product Development since 2010

## **IFNGR2 RABBIT PAB**

货号: S214399

产品全名: IFNGR2 兔多抗 基因符号 AF-1; IFGR2; IFNGT1

UNIPROT ID: P38484 (Gene Accession - NP\_005525)

背景: This gene (IFNGR2) encodes the non-ligand-binding beta chain of the gamma interferon receptor. Human interferon-gamma receptor is a heterodimer of IFNGR1 and IFNGR2. Defects in IFNGR2 are a cause of mendelian susceptibility to mycobacterial disease (MSMD), also known as familial disseminated atypical mycobacterial infection. MSMD is a genetically heterogeneous disease with autosomal recessive, autosomal dominant or X-linked inheritance.

抗原: Synthetic peptide of human IFNGR2

经过测试的应用: ELISA, WB, IHC

推荐稀释比: IHC: 50-200;WB: 200-1000;ELISA: 2000-5000

种属反应性: Rabbit

克隆性: Rabbit Polyclonal

亚型: Immunogen-specific rabbit IgG 纯化: Antigen affinity purification 种属反应性: Human, Mouse

成分: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol


研究领域: Metabolism, Immunology, Signal Transduction

储存和运输: Store at -20°C. Avoid repeated freezing and thawing




## **Product Description**


Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin embedded Human liver cancer tissue using 214399(IFNGR2 Antibody) at a dilution of 1/40(Cytoplasm).




In comparision with the IHC on the left, the same paraffin-embedded Human liver cancer tissue is first treated with the synthetic peptide and then with 214399(Anti-IFNGR2 Antibody) at dilution 1/40.



The image on the left is immunohistochemistry of paraffinembedded Human gastric cancer tissue using 214399(Anti-IFNGR2 Antibody) at a dilution of 1/40.



In comparision with the IHC on the left, the same paraffin-embedded Human gastric cancer tissue is first treated with synthetic peptide and then with D161776(Anti-IFNGR2 Antibody) at dilution 1/40.



Gel: 8%SDS-PAGE, Lysate: 60 µg; Lane: Mouse muscle tissue; Primary antibody: 214399(IFNGR2 Antibody) at dilution 1/200; Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution; Exposure time: 1 minute



## **Product Description**

Pioneering GTPase and Oncogene Product Development since 2010