

## IKAROS RABBIT MAB

货号: N262392

产品全名: Ikaros 兔单克隆抗体

基因符号 CLL associated antigen KW 6; DNA-binding protein Ikaros; hlk 1; hlk-1; Hs.54452; IK1; Ikaros (zinc finger protein); IKAROS; IKAROS family zinc finger 1 (Ikaros); Ikaros family zinc finger protein 1; Ikzf1; IKZF1\_HUMAN; LYF1; Lymphoid transcription factor LyF-1; PRO0758; Zinc finger protein subfamily 1A 1 (Ikaros); zinc finger protein subfamily 1A 1; Zinc finger protein; subfamily 1A; member 1; ZNFN1A1.

**UNIPROT ID:** Q13422

背景: Transcription regulator of hematopoietic cell differentiation (PubMed:17934067). Binds gamma-satellite DNA (PubMed:17135265, PubMed:19141594). Plays a role in the development of lymphocytes, B- and T-cells.

抗原: A synthetic peptide of human Ikaros

经过测试的应用: WB,IHC-P

推荐稀释比: WB: 1/500-1/1000 IHC: 1/50-1/100

种属反应性: Rabbit

克隆性: Rabbit Monoclonal

克隆编号: R08-5E4

分子量: Calculated MW: 58 kDa; Observed MW: 50-70 kDa

亚型: IgG


纯化: Affinity Purified

种属反应性: Human,Hamster


成分: PBS (without Mg<sup>2+</sup> and Ca<sup>2+</sup>), pH 7.3 containing 50% glycerol, 0.5% BSA and 0.02% sodium azide

研究领域: Epigenetics and Nuclear Signaling

储存和运输: Store at -20°C. Avoid repeated freezing and thawing



Immunohistochemistry analysis of paraffin-embedded Human tonsil using Ikaros antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.



Western blot analysis of Ikaros in CHO-K1, Jurkat lysates using Ikaros antibody.