

Product Description

Pioneering GTPase and Oncogene Product Development since 2010

IL17RA RABBIT PAB

货号: S220624

产品全名: IL17RA 兔多抗

基因符号 CD217; IL17R; CANDF5; CDw217; IL-17RA; hIL-17R UNIPROT ID: Q96F46 (Gene Accession - NP_055154)

背景: Interleukin 17A (IL17A) is a proinflammatory cytokine secreted by activated T-lymphocytes. It is a potent inducer of the maturation of CD34-positive hematopoietic precursors into neutrophils. The transmembrane protein encoded by this gene (interleukin 17A receptor; IL17RA) is a ubiquitous type I membrane glycoprotein that binds with low affinity to interleukin 17A. Interleukin 17A and its receptor play a pathogenic role in many inflammatory and autoimmune diseases such as rheumatoid arthritis.

抗原: Synthetic peptide of human IL17RA

经过测试的应用: ELISA, WB, IHC

推荐稀释比: IHC: 100-300;WB: 500-2000;ELISA: 2000-10000

种属反应性: Rabbit

克隆性: Rabbit Polyclonal

亚型: Immunogen-specific rabbit IgG 纯化: Antigen affinity purification

种属反应性: Human

成分: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol


研究领域: Immunology

储存和运输: Store at -20°C. Avoid repeated freezing and thawing




Product Description


Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin embedded Human liver cancer tissue using 220624(IL17RA Antibody) at a dilution of 1/40(Cytoplasm).




In comparision with the IHC on the left, the same paraffin-embedded Human liver cancer tissue is first treated with the synthetic peptide and then with 220624(Anti-IL17RA Antibody) at dilution 1/40.



The image on the left is immunohistochemistry of paraffinembedded Human brain tissue using 220624(Anti-IL17RA Antibody) at a dilution of 1/40.



In comparision with the IHC on the left, the same paraffin-embedded Human brain tissue is first treated with synthetic peptide and then with D261782(Anti-IL17RA Antibody) at dilution 1/40.



Gel: 6%SDS-PAGE, Lysate: 40 µg; Primary antibody: 220624(IL17RA Antibody) at dilution 1/200;

Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution;

Exposure time: 1 minute



Product Description

Pioneering GTPase and Oncogene Product Development since 2010