

Product Description

Pioneering GTPase and Oncogene Product Development since 2010

IL19 RABBIT PAB

货号: \$220626 产品全名: IL19 兔多抗

基因符号 MDA1; NG.1; ZMDA1; IL-10C

UNIPROT ID: Q9UHD0 (Gene Accession - NP_037503)

背景: The protein encoded by this gene is a cytokine that belongs to the IL10 cytokine subfamily. This cytokine is found to be preferentially expressed in monocytes. It can bind the IL20 receptor complex and lead to the activation of the signal transducer and activator of transcription 3 (STAT3). A similar cytokine in mouse is reported to up-regulate the expression of IL6 and TNF-alpha and induce apoptosis, which suggests a role of this cytokine in inflammatory responses. Alternatively spliced transcript variants encoding the distinct isoforms have been described.

抗原: Synthetic peptide of human IL19

经过测试的应用: ELISA, WB, IHC

推荐稀释比: IHC: 50-100;WB: 500-2000;ELISA: 5000-10000

种属反应性: Rabbit

克隆性: Rabbit Polyclonal

亚型: Immunogen-specific rabbit IgG 纯化: Antigen affinity purification

种属反应性: Human

成分: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol


研究领域: Immunology

储存和运输: Store at -20°C. Avoid repeated freezing and thawing




Product Description


Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin embedded Human colorectal cancer tissue using 220626(IL19 Antibody) at a dilution of 1/25(Secreted).




In comparision with the IHC on the left, the same paraffin-embedded Human colorectal cancer tissue is first treated with the synthetic peptide and then with 220626(Anti-IL19 Antibody) at dilution 1/25.



The image on the left is immunohistochemistry of paraffinembedded Human ovarian cancer tissue using 220626(Anti-IL19 Antibody) at a dilution of 1/25.



In comparision with the IHC on the left, the same paraffin-embedded Human ovarian cancer tissue is first treated with synthetic peptide and then with D261784(Anti-IL19 Antibody) at dilution 1/25.



Gel: 12%SDS-PAGE, Lysate: 40 µg; Lane 1-3: Raji, Hela and Jurkat cell lysates; Primary antibody: 220626(IL19 Antibody) at dilution 1/600; Secondary antibody: HRP-conjugated Goat anti rabbit IgG at 1/5000 dilution;

Exposure time: 1 minute



Product Description

Pioneering GTPase and Oncogene Product Development since 2010