

Product Description

Pioneering GTPase and Oncogene Product Development since 2010


IL1RAP RABBIT PAB

货号: S216307 产品全名: IL1RAP 兔多抗 基因符号 IL1R3; C3orf13; IL-1RAcP UNIPROT ID: Q9NPH3 (Gene Accession - BC053621) 背景: This gene encodes a component of the interleukin 1 receptor comple,x which initiates signalling events that result in the activation of interleukin 1-responsive genes. Alternative splicing of this gene results in membrane-bound and soluble isoforms differing in their C-terminus. The ratio of soluble to membrane-bound forms increases during acute-phase induction or stress. 抗原: Fusion protein of human IL1RAP 经过测试的应用: ELISA, WB, IHC 推荐稀释比: IHC: 50-200;WB: 500-2000;ELISA: 5000-10000 种属反应性: Rabbit 克隆性: Rabbit Polyclonal 亚型: Immunogen-specific rabbit IgG 纯化: Antigen affinity purification 种属反应性: Human, Mouse, Rat 成分: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol 研究领域: Cardiovascular, Immunology 储存和运输: Store at -20°C. Avoid repeated freezing and thawing




Product Description


Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin embedded Human gastric cancer tissue using 216307(ILIRAP Antibody) at a dilution of 1/40(Secreted)._____




The image on the left is immunohistochemistry of paraffinembedded Human colorectal cancer tissue using 216307(Anti-IL1RAP Antibody) at a dilution of 1/40.



In comparision with the IHC on the left, the same paraffin-embedded Human gastric cancer tissue is first treated with the fusion protein and then with 216307(Anti-ILIRAP Antibody) at dilution 1/40.



In comparision with the IHC on the left, the same paraffin-embedded Human colorectal cancer tissue is first treated with fusion protein and then with D220174(Anti-ILIRAP Antibody) at dilution 1/40.



Gel: 8%SDS-PAGE, Lysate: 40 µg; Lane 1-4: Hela cell, Mouse heart tissue, Human cerebella tissue, Human cerebrum tissue lysates; Primary antibody: 216307(ILIRAP Antibody) at dilution 1/600; Secondary antibody: HRP-conjugated Goat anti rabbit IgG at 1/5000 dilution; Exposure time: 30 seconds



Product Description

Pioneering GTPase and Oncogene Product Development since 2010