

Product Description

Pioneering GTPase and Oncogene Product Development since 2010

IL31RA RABBIT PAB

货号: S217540

产品全名: IL31RA 兔多抗

基因符号 CRL; GPL; CRL3; GLMR; GLM-R; PLCA2; hGLM-R; IL-31RA; PRO21384

UNIPROT ID: Q8NI17 (Gene Accession - BC110490)

背景: The protein encoded by this gene belongs to the type I cytokine receptor family. This receptor, with homology to gp130, is expressed on monocytes, and is involved in IL-31 signaling via activation of STAT-3 and STAT-5. It functions either as a monomer, or as part of a receptor complex with oncostatin M receptor (OSMR). Several alternatively spliced transcript variants encoding different isoforms have been noted for this gene

抗原: Fusion protein of human IL31RA

经过测试的应用: ELISA, WB, IHC

推荐稀释比: IHC: 25-100;WB: 200-1000;ELISA: 1000-2000

种属反应性: Rabbit

克隆性: Rabbit Polyclonal

亚型: Immunogen-specific rabbit IgG 纯化: Antigen affinity purification

种属反应性: Human

成分: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol


研究领域: Signal Transduction, Epigenetics and Nuclear Signaling, Immunology

储存和运输: Store at -20°C. Avoid repeated freezing and thawing




Product Description


Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin embedded Human prostate cancer tissue using 217540(IL31RA Antibody) at a dilution of 1/30(Cytoplasm).




In comparision with the IHC on the left, the same paraffin-embedded Human prostate cancer tissue is first treated with the fusion protein and then with 217540(Anti-IL31RA Antibody) at dilution 1/30.



The image on the left is immunohistochemistry of paraffinembedded Human thyroid cancer tissue using 217540(Anti-IL31RA Antibody) at a dilution of 1/30.



In comparision with the IHC on the left, the same paraffin-embedded Human thyroid cancer tissue is first treated with fusion protein and then with D222544(Anti-IL31RA Antibody) at dilution 1/30.



Gel: 6%SDS-PAGE, Lysate: 40 µg; Lane: Jurkat cells; Primary antibody: 217540(IL31RA Antibody) at dilution 1/250; Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution; Exposure time: 10 minutes



Product Description

Pioneering GTPase and Oncogene Product Development since 2010