INA RABBIT PAB

货号: S220046
产品全名: INA 兔多抗
基因符号 NEF5; NF-66; TXBP-1
UNIPROT ID: Q16352 (Gene Accession – NP_116116)
背景: Neurofilaments are type IV intermediate filament heteropolymers composed of light, medium, and heavy chains. Neurofilaments comprise the axoskeleton and they functionally maintain the neuronal caliber. They may also play a role in intracellular transport to axons and dendrites. This gene is a member of the intermediate filament family and is involved in the morphogenesis of neurons.
抗原: Synthetic peptide of human INA
经过测试的应用: ELISA, WB, IHC
推荐稀释比: IHC: 25-100;WB: 500-2000;ELISA: 2000-5000
种属反应性: Rabbit
克隆性： Rabbit Polyclonal
亚型: Immunogen-specific rabbit IgG
纯化: Antigen affinity purification
种属反应性: Human, Mouse
成分: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol
研究领域: Neuroscience
储存和运输: Store at -20°C. Avoid repeated freezing and thawing

Product Description

Pioneering GTPase and Oncogene Product Development since 2010



Immunohistochemistry analysis of paraffin embedded Human brain tissue using 220046(INA Antibody) at a dilution of 1/25(Cytoplasm).



In comparision with the IHC on the left, the same paraffin-embedded Human brain tissue is first treated with the synthetic peptide and then with 220046(Anti-INA Antibody) at dilution 1/25.



The image on the left is immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using 220046(Anti-INA Antibody) at a dilution of 1/25.



In comparision with the IHC on the left, the same paraffin-embedded Human thyroid cancer tissue is first treated with synthetic peptide and then with D260853(Anti-INA Antibody) at dilution 1/25.

Gel: 10%SDS-PAGE, Lysate: 40 µg;
Lane: Mouse brain tissue;
Primary antibody: 220046(INA Antibody) at dilution 1/550;
Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution;
Exposure time: 3 seconds