

Product Description

Pioneering GTPase and Oncogene Product Development since 2010

IPO9 RABBIT PAB

货号: S220633 产品全名: IPO9 兔多抗

基因符号 Imp9

UNIPROT ID: Q96P70 (Gene Accession - NP_060555)

背景: Importin-9, also known as Imp9 or IPO9, is a 1,041 amino acid protein that contains one importin N-terminal domain and belongs to the Importin-? family. Localized to both the nucleus and the cytoplasm, Importin-9 functions as a nuclear transport receptor that mediates the docking of the Importin complex to the nuclear pore complex (NPC). Importin-9 mediates nuclear import of H2B histone, Ribosomal Protein S7 and Ribosomal Protein L18A. The gene encoding Importin-9 is located on human chromosome 1, the largest human chromosome that spans about 260 million base pairs and makes up 8% of the human genome.

抗原: Synthetic peptide of human IPO9

经过测试的应用: ELISA, WB, IHC

推荐稀释比: IHC: 50-200;WB: 200-1000;ELISA: 1000-2000

种属反应性: Rabbit

克隆性: Rabbit Polyclonal

亚型: Immunogen-specific rabbit IgG 纯化: Antigen affinity purification 种属反应性: Human, Mouse

成分: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol


研究领域: Signal Transduction, Epigenetics and Nuclear Signaling, Cancer


储存和运输: Store at -20°C. Avoid repeated freezing and thawing



Product Description


Pioneering GTPase and Oncogene Product Development since 2010






Immunohistochemistry analysis of paraffin embedded Human colon cancer tissue using 220633(IPO9 Antibody) at a dilution of 1/20(Cytoplasm).


In comparision with the IHC on the left, the same paraffin-embedded Human colon cancer tissue is first treated with the synthetic peptide and then with 200000 (1) and then with 2000000 (1) and then with 200000 (1) and the with 2000000 (1) and the with 200000 (1) and the with 200000 (1) and the w



The image on the left is immunohistochemistry of paraffinembedded Human liver cancer tissue using 220633(Anti-IPO9 Antibody) at a dilution of 1/20.



In comparision with the IHC on the left, the same paraffin-embedded Human liver cancer tissue is first treated with synthetic peptide and then with D261793 (Anti-IPO9 Antibody) at dilution 1/20.



Gel: 6%SDS-PAGE, Lysate: 40 µg; Lane 1-2: Human fetal brain tissue, Hela cells; Primary antibody: 220633(IPO9 Antibody) at dilution 1/200; Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution; Exposure time: 1 minute



Product Description

Pioneering GTPase and Oncogene Product Development since 2010