

## **Product Description**

Pioneering GTPase and Oncogene Product Development since 2010

## **KLF5 RABBIT PAB**

货号: S213622 产品全名: KLF5 兔多抗 基因符号 CKLF; IKLF; BTEB2

UNIPROT ID: Q13887 (Gene Accession - NP\_001721)

背景: This gene encodes a member of the Kruppel-like factor subfamily of zinc finger proteins. The encoded protein is a transcriptional activator that binds directly to a specific recognition motif in the promoters of target genes. This protein acts downstream of multiple different signaling pathways and is regulated by post-translational modification. It may participate in both promoting and suppressing cell proliferation. Expression of this gene may be changed in a variety of different cancers and in cardiovascular disease. Alternative splicing results in multiple transcript variants.

抗原: Synthetic peptide of human KLF5

经过测试的应用: ELISA, WB, IHC

推荐稀释比: IHC: 100-300;WB: 500-2000;ELISA: 1000-5000

种属反应性: Rabbit

克隆性: Rabbit Polyclonal

亚型: Immunogen-specific rabbit IgG 纯化: Antigen affinity purification 种属反应性: Human, Mouse

成分: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol


研究领域: Epigenetics and Nuclear Signaling, Cancer, Cardiovascular, Stem Cells

储存和运输: Store at -20°C. Avoid repeated freezing and thawing




## **Product Description**


Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin embedded Human ovarian cancer tissue using 213622(KLF5 Antibody) at a dilution of 1/120(Cytoplasm, Nucleus).




In comparision with the IHC on the left, the same paraffin-embedded Human ovarian cancer tissue is first treated with the synthetic peptide and then with 213622(Anti-KLF5 Antibody) at dilution 1/120.



The image on the left is immunohistochemistry of paraffinembedded Human colon cancer tissue using 213622(Anti-KLF5 Antibody) at a dilution of 1/120.



In comparision with the IHC on the left, the same paraffin-embedded Human colon cancer tissue is first treated with synthetic peptide and then with D160534(Anti-KLF5 Antibody) at dilution 1/120.



Gel: 10+12+15%SDS-PAGE, Lysate: 40 µg; Lane 1-2: Jurkat cells, human ovarian cancer tissue; Primary antibody: 213622(KLF5 Antibody) at dilution 1/1700; Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution; Exposure time: 20 seconds



## **Product Description**

Pioneering GTPase and Oncogene Product Development since 2010